Bulikowski W. *See* Gromadzinska
Burchell B. *See* Schrenk D
Burnett KG. *See* MacDougal KC
Burnett RT. *See* Stieb DM
Bushby WF Jr. *See* Hannigan MP
Bykov VJ. *See* Hemminki K

C

Cairns J Jr, Bidwell JR: The modification of human society by natural systems: discontinuities caused by the exploitation of endemic species and the introduction of exotics, 1142–1145
Calderón-Garcidueñas L, Osnaya-Brizuela N, Ramírez-Martínez L, Villarreal-Calderón A: DNA strand breaks in human nasal respiratory epithelium are induced upon exposure to urban pollution, 160–168
Caldwell CW. *See* Walker SE
Call DJ. *See* Mekenyan OG
Caltabellotta M. *See* Kanitz S
Campleman S. *See* Rothman N
Cao J, Bai X, Zhao Y, Liu J, Zhou D, Fang S, Jia M, Wu J: The relationship of fluorosis and brick tea drinking in Chinese Tibetans, 1340–1343
Cardinali FL. *See* Ashley DL
Cardis E; Jones S, Kleihues P: Commentary: the future of population monitoring in cancer research, S3:527–528; Epidemiology of accidental radiation exposures, S3:643–649
Carpenter DO, Suk WA, Blaha K, Cikrt M: Hazardous wastes in eastern and central Europe, 244–248
Carter DE, Pena C, Varady R, Suk WA: Environmental health and hazardous waste issues related to the U.S.–Mexico border, 590–594
Carvajal S. *See* Hoyos LS
Cashman JR, Perotti BYT, Berkman CE, Lin J: Pharmacokinetics and molecular detoxication, S1:23–40
Cass GR. *See* Hannigan MP; Miguel AG
Castilla ME. *See* Fortoul TI
Castranova V, Robinson VA, Frazer DG: Pulmonary reactions to organic dust exposures: development of an animal model, S1:41–53
Cebrían M. *See* López-Carillo L
Cebulska-Wasilewska A. *See* Anderson D
Cerioli A: Environmental tobacco smoke (letter), 132
Cerná M. *See* Binková B
Chae K. *See* Shelby MD
Chang C-C. *See* Kang K-S
Chang DPY. *See* Villalobos SA
Chao X-J. *See* Dosemeci M; Hayes RB
Chapnick SD. *See* Slayton TM
Chavez-Ayala R. *See* Farias P
Chen H. *See* Frantz CE
Chi Chen L. *See* Penn A
Chow M. *See* Folmar L
Chow W-H. *See* Dosemeci M; Hayes RB; Linet MS; Yin S-N
Christiana DC: Utilization of biomarker data for clinical and environmental intervention, S5:921–925
Christiansen P. *See* Toppari J
Cikrt M. *See* Carpenter DO
Cohn J, MacPhail RC: Ethological and experimental approaches to behavior analysis: implications for ecotoxicology, S2:299–305. *See also* Kulig B
Collins AR, Dusinská M, Gedik CM, Stetina R: Oxidative damage to DNA: do we have a reliable biomarker? S3:465–469
Collins JJ. *See* Acquavella JF
Collman G. *See* Suk WA
Cologne JB. *See* Akiyama M
Colyer SP. *See* Frome EL
Cordero R. *See* Farmer PB
Cortese G. *See* Verdina A
Cory-Slechta D. *See* Kulig B
Costa LG: Biomarker research in neurotoxicology: the role of mechanistic studies to bridge the gap between the laboratory and epidemiological investigations, S55–S67
Costa M, Zhitkovich A, Toniolo P, Taioli E, Popov T, Lukanova A: Monitoring human lymphocytic DNA-protein cross-links as biomarkers of biologically active doses of chromate, S5:917–919
Cox LA Jr: Reassessing benzene risks using internal doses and Monte-Carlo uncertainty analysis, S6:1413–1429
Crain DA. *See* Folmar L; Vonier PM
Crebelli R. *See* Verdina A
Crisp TM. *See* Neumann DA
Crocetti AF: *See* Mushak P
Crofton DM. *See* Tilson HA
Cross ER, Hyams KC: The potential effect of global warming on the geographic and seasonal distribution of *Phlebotomus papatasi* in southwest Asia, 724–727
Crump KS: Risk of benzene-induced leukemia predicted from the Pliofilm cohort, S6:1437–1441
Cunningham J. *See* Dockery DW
Cunningham ML, Hayward JJ, Shane BS, Tindall KR: Distinction of mutagenic carcinogens from a mutagenic noncarcinogen in the Big Blue transgenic mouse, S3:683–686
Cuomo V, De Salvia MA, Petruzzi S, Alleva E: Appropriate end points for the characterization of behavioral changes in developmental toxicology, S2:307–315
Czeizel AE: Human germinal mutagenic effects in relation to intentional and accidental exposure to toxic agents, S3:615–617

D

Dai T-R. *See* Dosemeci M; Hayes RB
Dallinga JW. *See* van Maanen JMS
Dalton T, Fu K, Enders GC, Palmiter RD, Andrews GK: Analysis of the effects of overexpression of metallothionein-I, 68–76
Damokosh AI. *See* Dockery DW; Raizenne M
Damstra T. *See* Suk WA
Daniloff E. *See* Newman LS
Dankers N. *See* Vethaak AD
Darden TA, Bartolotti L, Pedersen LG: Selected new developments in computational chemistry, S1:69–74
Darroudi F. *See* Natarajan AT
Daston GP. *See* Kavlock RJ
Davis CC. *See* Balcer-Kubiczek EK
Davis DL. *See* Shelby MD
Davis S. *See* Stevens RG
Davoli CT. *See* Weaver VM
Dees C, Askari M, Henley D: Carcinogenic potential of benzene and toluene when evaluated using cyclin-dependent kinase activation and *p53*–DNA binding, S6:1289–1292
Dejmek J. *See* Srám RJ
Dekant W: Toxicology of chlorofluorocarbon replacements, S1:75–83
Denison MS. *See* Villalobos SA
Denslow ND. *See* Folmar L
The DEREK Collaborative Group. *See* Marchant CA
DeRosa C. *See* Kavlock RJ
De Salvia MA. *See* Cuomo V
De Souza MJ. *See* Kassam A
de Swart RL, Ross PS, Vos JG, Osterhaus ADME: Impaired immunity in harbour seals (*Phoca virulina*) exposed to bioaccumulated environmental contaminants: review of a long-term feeding study, S4:823–828
Dickey CP. *See* Perera FP
Dieter MP: Friendly fire (editorial), 682; For future reference (editorial), 1262
DiMonte D. *See* Gorrell JM
Ding CY. *See* Hayes RB
Dockery DW, Cunningham J, Damokosh AI, Neas LM, Spengler JD, Koutrakis P, Ware JH, Raizenne M, Speizer FE: Health effects of acid aerosols on North American children: respiratory symptoms, 500–505. *See also* Raizenne M; Spengler JD
Dolan M. *See* Sahl J
Dominguez A. *See* Wohl AR
Donaldson J. *See* Linet MS
Donato F. *See* Monarca S; Moretti M
Dosemeci M. *See* Alavanja MCR
Duffard R. *See* Evangelista de Duffard AM; Rice DC
Dulout F. *See* Natarajan AT
Dusinská M. *See* Collins AR

E

Easterly CE. *See* Jones TD
Eastmond DA. *See* Frantz CE
Eaton DL. *See* Heinonen JT
Egeli U. *See* Tunca BT
Eggens ML. *See* Vethaak AD

Ehrenberg L, Granath F, Törnqvist M: Macromolecule adducts as biomarkers of exposure to environmental mutagens in human populations, S3:423–428
El Zein R. *See* Au WW; Hallberg LM
Ellegård A: Cooking fuel smoke and respiratory symptoms among women in low-income areas in Maputo, 980–985
Elsner J. *See* Weiss B
Enblom J. *See* Folmar L
Engel A. *See* Bezabeh S
Espinosa-Torres F. *See* Lopez-Carillo L
Esser C. *See* Tonn
Evangelista de Duffard AM, Duffard R: Behavioral toxicology, risk assessment, and chlorinated hydrocarbons, S2:353–360. *See also* Rice DC
Everts JM. *See* Vethaak AD

F

Fadda E. *See* Mastrangelo G
Fan Y-H. *See* Dosemeci M
Fang S. *See* Cao J
Farias P, Borja-Aburto VH, Rios C, Hertz-Picciotto I, Rojas-Lopez M, Chavez-Ayala R: Blood lead levels in pregnant women of high and low socioeconomic status in Mexico City, 1070–1074
Farin FM. *See* Heinonen JT
Farmer PB, Cordero R, Autrup H: Monitoring human exposure to 2-hydroxyethylating carcinogens, S3:449–452
Farris GM, Robinson SN, Gaido KW, Wong BA, Wong VA, Leonard L, Shah R: Effects of low concentrations of benzene on mouse hematopoietic cells *in vivo*: a preliminary report, S6:1275–1276
Fase KM. *See* van Birgelen APJM
Fatigoni C. *See* Moretti M
Fawcett JP, Williams SM, Heydon JL, Walmsley TA, Menkes DB: Distribution of blood lead levels in a birth cohort of New Zealanders at age 21, 1332–1335
Feldman DL, Hanahan RA: Public perceptions of a radioactively contaminated site: concerns, remediation preferences, and desired involvement, 1344–1352
Feldman RG, White RF: Role of the neurologist in hazard identification and risk assessment, S2:227–237. *See also* Fiedler N
Fenner-Crisp P. *See* Kavlock RJ
Ferro MT. *See* García-Sagredo JM
Fiedler N: Neuropsychological approaches for the detection and evaluation of toxic symptoms, S2:239–245; Feldman RG, Jacobson J, Rahill A Wetherell A: The assessment of neurobehavioral toxicity: SGOMSEC joint report, S2:179–191
Finch GL, Hoover MD, Hahn FF, Nikula KJ, Belinsky SA, Haley PJ, Griffith WC: Animal models of beryllium-induced lung disease, S5:973–979
Finkelman J: Phasing out leaded gasoline will not end lead poisoning in developing countries (editorial), 10–11
Fishbein E. *See* Hernandez-Avila M
Fitzwilliam A. *See* Weaver VM
Flato S, Hemminki K, Thunberg E, Georgellis A: DNA adduct formation in the human nasal mucosa as a biomarker of exposure to environmental mutagens and carcinogens, S3:471–473
Flegal AR. *See* Smith DR
Flessel P. *See* Wohl AR
Folmar LC, Denslow ND, Rao V, Chow M, Crain A, Enblom J, Marcino J, Guillette LJ Jr: Vitellogenin induction and reduced serum testosterone concentrations in feral male carp (*Cyprinus carpio*) captured near a major metropolitan sewage treatment plant, 1096–1101
Forni A: Benzene-induced chromosome aberrations: a follow-up study, S6:1309–1312
Fortoul TI, Osorio LS, Tovar AT, Salazar D, Castilla ME, Olaiz-Fernandez G: Metals in lung tissue from autopsy cases in Mexico City residents: comparison of cases from the 1950s and the 1980s, 630–632
Fox Ga. *See* Grasman KA
Fradin J. *See* Robbana-Barnat S
Franco Y. *See* Kanitz S
Frank AL: Scientific and ethical aspects of human monitoring, S3:659–662
Frantz CE, Chen H, Eastmond DA: Inhibition of human topoisomerase II *in vitro* by bioactive benzene metabolites, S6:1319–1323
Frazer DG. *See* Castranova V
French JE. *See* Albert RE
Frome EL, Smith MH, Littlefield LG, Neubert RL, Colyer SP: Statistical methods for the blood beryllium lymphocyte proliferation test, S5:957–968
Fujira S. *See* Ishizuka M
Fung VA. *See* Huff J
Furman FJ. *See* Strange AW

G

Gaarder P. *See* Johansen HR
Gaido KW. *See* Farris GM
Gamble JF, Lewis RJ: Health and respirable particulate (PM_{10}) air pollution: a causal or statistical association? 838–850; Pearlman ED, Nicolich MJ: A nested case-control study of kidney cancer among refinery/petrochemical workers, 642–650
Ganey PE. *See* Brown AP; Tithof PK
Garcia ME. *See* Garcia-Rodríguez J
García-Martin M. *See* Garcia-Rodríguez J
Garcia-Rodríguez J, García-Martin M, Nogueras-Ocaña M, Luna-del-Castillo JD, García ME, Olea N, Lardelli-Claret P: Exposure to pesticides and cryptorchidism: geographical evidence of a possible association, 1090–1095
García-Sagredo JM, Vallcorba I, López-Yarto A, Sanchez-Hombre MDC, Resino M, Ferro MT: Chromosome painting in biological dosimetry: assessment of the ability to score stable chromosome aberrations using different pairs of paint probes, S3:475–477
Gargas ML. *See* Thomas RS
Garrido F. *See* López-Carrillo L
Garry VF, Schreinemachers D, Harkins ME, Griffith J: Pesticide appliers, biocides, and birth defects in rural Minnesota, 394–399
Gauthier TD. *See* Slayton TM
Gdynia W. *See* Johansen HR
Gedik CM. *See* Collins AR
Georgellis A. *See* Flato S
Georgopoulos P. *See* Weisel C
Gilli G, Scursatone E, Bono R: Goegraphical distribution of benzene in air in northwestern Italy and personal exposure, S6:1137–1140
Giwercman A. *See* Toppari J
Glatt HR. *See* Henschler R
Glovsky MM. *See* Miguel AG
Glowa JR: Dose–response analysis in risk assessment: evaluation of behavioral specificity, S2:391–396. *See also* Hattis D
Godbold JH. *See* Todd AC
Goehl TJ: Pura vida (editorial), 582–583; A broader view (editorial), 906
Gold EB. *See* Kassam A
Goldberg AM. *See* Zurlo J
Golding BT. *See* Bleasdale C
Goldstein BD. *See* Witz G
Goldstein GW. *See* Weaver VM
Gonsebatt ME. *See* Ostrosky-Wegman P
Gonzalez-Cossio T. *See* Hernandez-Avila M
Gordian ME, Özkaynak H, Xue J, Morris SS, Spengler JD: Particulate air pollution and respiratory disease in Anchorage, Alaska, 290–297
Gordon S. *See* Wallace L
Gorrell JM, DiMonte D, Graham D.
Goyer RA: Results of lead research: prenatal exposure and neurological consequences, 1050–1054
Graham D. *See* Gorrell JM
Granath F. *See* Ehrenberg L
Grandjean P, White RF, Weihe P: Neurobehavioral epidemiology: application in risk assessment, S2:397–400. *See also* Toppari J
Grasman KA, Fox GA, Scanlon PF, Ludwig JP: Organochlorine-associated immunosuppression in prefledgling caspian terns and herring gulls from the Great Lakes: an ecoepidemiological study, S4:829–842
Gray LE. *See* Kavlock RJ
Graziano JH, Blum CB, Lolacono NJ, Slavkovich V, Manton WI, Pond S, Moore MR: A human *in vivo* model for the determination of lead bioavailability using stable isotope dilution, 176–179
Greenwell A. *See* Bristol DW
Griffith J: *See* Garry VF
Griffith WC. *See* Finch GL
Gromadzinska J, Wasowicz W, Sklodowska M, Bulikowski W, Rydzynski K: The influence of atmospheric chromium on selenium content and glutathione peroxidase activity in blood of tannery workers, 1312–1316
Groopman JD. *See* Weaver VM

Grossman L. *See* Hallberg LM
Guengerich FP, Johnson WW, Ueng Y-F, Yamazaki H, Shimada T: Involvement of cytochrome P450, glutathione *S*-transferase, and epoxide hydrolase in the metabolism of aflatoxin B_1 and relevance to risk of human liver cancer, S3:557–562
Guillette LJ Jr. *See* Arnold SE; Folmar L; Toppari J; Vonier PM
Gulson BL: Tooth analyses of sources and intensity of lead exposure in children, 306–312
Gut I, Nedelcheva V, Soucek P, Stopka P, Tichavská B: Cytochromes P450 in benzene metabolism and involvement of their metabolites and reactive oxygen species in toxicity, S6:1211–1218
Guthrie J. *See* Olden K

H

Haas R. *See* Rothman N
Habib CM, Kugel G: Estrogenicity of resin-based composites and sealants in dentistry (letter), 808
Hageman G. *See* van Maanen JMS
Hahn FF. *See* Finch GL
Haley PJ. *See* Finch GL
Hallberg LM, El Zein R, Grossman L, Au WW: Measurement of DNA repair deficiency in workers exposed to benzene, S3:529–534. *See also* Au WW
Han L-H. *See* Balcer-Kubiczek EK
Hanahan RA. *See* Feldman DL
Hanash SM. *See* Satoh C
Hanawalt PC: Role of transcription-coupled DNA repair in susceptibility to environmental carcinogenesis, S3:547–551
Hande MP. *See* Natarajan AT
Hannigan MP, Cass GR, Lafleur AL, Bushby Jr WF, Thilly WG: Seasonal spatial variation of the bacterial mutagenicity of fine organic aerosol in Southern California, 428–436
Harbach PR. *See* Aaron CS
Harkins ME. *See* Garry VF
Harris CC: *p53* Tumor suppressor gene: at the crossroads of molecular carcinogenesis, molecular epidemiology, and cancer risk assessment, S3:435–439
Harrison GH. *See* Balcer-Kubiczek EK
Hasan JS. *See* Jones TD
Hatch MC. *See* Reif JS
Hattis D; The challenge of mechanism-based modeling in risk assessment for neurobehavioral end points, S2:381–390; Glowa J, Tilson H, Ulbrich B: Risk assessment for neurobehavioral toxicity: SGOMSEC joint report, S2:217–226
Hayashi T. *See* Kang K-S
Hayward JJ. *See* Cunningham ML
Hazel BA, O'Connor A, Niculescu R, Kalf GF: Induction of granulocytic differentiation in a mouse model by benzene and hydroquinone, S6:1257–1264
Heck DE. *See* Laskin DL
Hedli CC. *See* Snyder R
Heinonen JT, Sidhu JS, Reilly MT, Farin FM, Omiecinski CJ, Eaton DL, Kavanagh TJ: Assessment of regional cytochrome P450 activities in rat liver slices using resorufin substrates and fluorescence confocal laser cytometry, 536–543
Heller PJ. *See* Weaver VM
Hemminki K, Kumar R, Bykov VJ, Louhelainen J, Vodicka P: Future research directions in the use of biomarkers, S3:459–464. *See also* Flato S; Savela K
Henderson RE. *See* Ward JB Jr
Henderson RF: Species differences in the metabolism of benzene, S6:1173–1175
Hendricks JD. *See* Bailey GS
Henley D. *See* Dees C
Henschler R, Glatt HR, Heyworth CM: Hydroquinone stimulates granulocyte-macrophage progenitor cells *in vitro* and *in vivo*, S6: 1271–1274
Heo MY. *See* Au WW
Herkovits FD. *See* Herkovits J
Herkovits J, Perez-Coll CS, Herkovits FD: Ecotoxicity in the Reconquista River, Province of Buenos Aires, Argentina: a preliminary study, 186–189
Hernandez-Avila M, Gonzalez-Cossio T, Palazuelos E, Romieu I, Aro A, Fishbein E, Peterson KE, Hu H: Dietary and environmental determinants of blood and bone lead levels in lactating postpartum women living in Mexico City, 1076–1082
Hertz-Picciotto I. *See* Farias P
Heydens WF. *See* Acquavella JF
Heydon JL. *See* Fawcett JP
Heyworth CM. *See* Henschler R
Hietanen E. *See* Bartsch H
Hill SM. *See* Klotz DM
Hilmas DE. *See* Strange AW
Hinton D. *See* Villalobos SA
Hirai Y. *See* Akiyama M
Hirano H. *See* Moriguchi I
Hirano S, Suzuki KT: Exposure, metabolism, and toxicity of rare earths and related compounds, S1:85–95
Hirano T. *See* Yamaguchi R
Hirono S. *See* Moriguchi I
Hiyama K. *See* Yamakido M
Hodgson E, Levi PE: Pesticides: an important but underused model for the environmental health sciences, S1:97–106
Holdan WL. *See* Fortoul TI
Holian A: Air toxics: biomarkers in environmental applications—overview and summary of recommendations, S5:851–855
Holladay SD, Luster MI: Alterations in fetal thymic and liver hematopoietic cells as indicators of exposure to developmental immunotoxicants, S4:809–813
Holmes LB. *See* Reif JS
Holtzman NA: Medical and ethical issues in genetic screening—an academic view, S5:987–990
Hook GER: Decisions are only as good as the information considered (editorial), 130; Responsible care and credibility (editorial), 1138–1139
Hoover MD. *See* Finch GL
Hopenhayn-Rich C, Biggs ML, Smith AH, Kalman DA, Moore LE: Methylation study of a population environmentally exposed to arsenic in drinking water, 620–628; Biggs ML, Kalman DA, Moore LE, Smith AH: Arsenic methylation patterns before and after changing from high to lower concentrations of arsenic in drinking water, 1200–1207
Horstman D. *See* Srám RJ
Hoshi H. *See* Ishizuka M
Hoyos LS, Carvajal S, Solano L, Rodriguez J, Orozco L, López Y, Au WW: Cytogenetic monitoring of farmers exposed to pesticides in Colombia, S3:535–538
Hsie AW, Porter RC, Xu Z, Yu Y, Sun J, Meltz ML, Schwartz JL: Molecular markers of ionizing radiation-induced gene mutations in mammalian cells, S3:675–678
Hu H. *See* Hernandez-Avila M
Huebner WW. *See* Schnatter AR
Huff J: $\alpha_2\mu$-globulin nephropathy, posed mechanisms, and white ravens (response to Ashby), 1264–1267; Weisburger E, Fung VA: Multicomponent criteria for predicting carcinogenicity: dataset of 30 NTP chemicals, S5:1105–1112
Hughes JA. *See* Anderson D
Husgafvel-Pursiainen K, Kannio A: Cigarette smoking and *p53* mutations in lung cancer and bladder cancer, S3:553–556
Hutt AM, Kalf GF: Inhibition of human DNA topoisomerase II by hydroquinone and *p*-benzoquinone, reactive metabolites of benzene, S6:1265–1269
Hyams KC. *See* Cross ER

I

Ingelman-Sundberg M. *See* Schrenk D
Ioannides C. *See* Lewis DFV
Iregren A: Behavioral methods and organic solvents: questions and consequences, S2:361–366. *See also* Rice DC
Ireland BK. *See* Acquavella JF
Irons RD, Stillman WS: The process of leukemogenesis, S6:1239–1246; Impact of benzene metabolites on differentiation of bone marrow progenitor cells, S6:1247–1250. *See also* Rothman N.
Isfort RJ. *See* Kerckaert GA
Ishioka S. *See* Yamakido M
Ishizuka M, Hoshi H, Minamoto N, Masuda M, Kazusaka A, Fujita S: Alterations of cytochrome P450-dependent monooxygenase activities in *Eriocheir japonicus* in response to water pollution, 774–778

J

Jackson ET. *See* Bois FY
Jacobs MC. *See* Balcer-Kubiczek EK
Jacobs TL, Warmerdam JM, Medina MA, Piver WT: Second moment method for evaluating human health risks from groundwater contaminated by trichloroethylene, 866–870

Jacobson JL, Jacobson SW: Prospective, longitudinal assessment of developmental neurotoxicity, S2:275–283. *See also* Fiedler N
Jacobson SW. *See* Jacobson JL
Jaeger M. *See* Talaska G
Jameson CW: Introduction to the conference on beryllium-related diseases, S5:935–936
Jégou B. *See* Toppari J
Jensen TK. *See* Toppari J
Jia M. *See* Cao J
Jiang Z-L. *See* Dosemeci M; Hayes RB.
Jimenez C. *See* Lopez-Carillo L
Jo W-K. *See* Weisel CP
Johansen HR, Alexander J, Rossland OJ, Planting S, Lovik M, Gaarder PI, Gdynia W, Bjerve KS, Becher G: PCDDs, PCDFs, and PCBs in human blood in relation to consumption of crabs from a contaminated fjord area in Norway, 756–764
Johnson MD. *See* MacDougal KC
Johnson WW. *See* Guengerich FP
Jol JG. *See* Vethaak AD
Jones AD. *See* Villalobos SA
Jones L. *See* Slayton TM
Jones S. *See* Cardis E
Jones TD; Easterly CE: A RASH analysis of National Toxicology Program data: predictions for 30 compounds to be tested in rodent carcinogenesis experiments, S5:1017–1030
Jongmans-Liedekerken G. *See* van Wijnen JH
Jorg E. *See* Norpoth KH
Jouannet P. *See* Toppari J

K

Kaattari S. *See* Kavlock RJ
Kalf GF, Renz JF, Niculescu R: *p*-Benzoquinone, a reactive metabolite of benzene, prevents the processing of pre-interleukins-1α and -1β to active cytokines by inhibition of the processing enzymes, calpain, and interleukin-1β converting enzyme, S6:1251–1256
Kalkstein LS. *See* Pope CA III
Kalman DA. *See* Hopenhayn-Rich C
Kang D. *See* Strickland P
Kang K-S, Wilson MR, Hayashi T, Chang C-C, Trosko JE: Inhibition of gap junctional intercellular communication in normal human breast epithelial cells after treatment with pesticides, PCBs, and PBBs, alone or in mixtures, 192–200
Kanitz S, Franco Y, Patrone V, Caltabellotta M, Raffo E, Riggi C, Timitilli D, Ravera G: Association between drinking water disinfection and somatic parameters at birth, 516–520
Kannio A. *See* Husgafvel-Pursiainen K
Kasai H. *See* Yamaguchi R
Kasper E. *See* Anderson D
Kassam A, Overstreet JW, Snow-Harter C, De Souza MJ, Gold EB, Lasley BL: Identification of anovulation and transient luteal function using a urinary pregnanediol-3-glucuronide ratio algorithm, 408–413
Katz AM. *See* Schnatter AR
Kavanagh TJ. *See* Heinonen JT
Kavlock RJ; Setzer RW: The road to embryologically based dose–response models, S1:107–121; Daston GP, DeRosa C, Fenner-Crisp P, Gray LE, Kaattari S, Lucier G, Luster M, Mac MJ, Maczka C, Miller R, Moore J, Rolland R, Scott G, Sheehan DM, Sinks T, Tilson HA: Research needs for the risk assessment of health and environmental effects of endocrine disruptors: a report of the U.S. EPA-sponsored workshop, S4:715-740
Kazusaka A. *See* Ishizuka M
Keiding N. *See* Toppari J
Keisler LW. *See* Walker SE
Keller K. *See* Penn A
Kelly P. *See* Villalobos SA
Kennedy G. *See* Bleasdale C
Kennedy IM. *See* Villalobos SA
Kenyon EM. *See* Medinsky MA
Kerckaert GA, Brauninger R, LeBoeuf RA, Isfort RJ: Use of the Syrian hamster embryo cell transformation assay for carcinogenicity prediction of chemicals currently being tested by the National Toxicology Program in rodent bioassays, S5:1075–1084
Kermani HRS. *See* Thomas RS
Kier AB. *See* Walker SE
Kim K-J. *See* Robison TW
King RD, Srinivasan A: Prediction of rodent carcinogenicity bioassays from molecular structure using inductive logic programming, S5:1031–1040
Kinney PL, Thurston GD, Raizenne M: The effects of ambient ozone on lung function in children: a reanalysis of six summer camp studies, 170–174
Kleihues P. *See* Cardis E
Kleinjans JCS. *See* van Maanen JMS
Klopman G. *See* Zhang YP
Klotz DM, Beckman BS, Hill SM, McLachlan JA, Walters MR, Arnold SF: Identification of environmental chemicals with estrogenic activity using a combination of *in vitro* assays, 1084–1089
Knott PG, Kirton PJ: 1-Hydroxypyrene as an indicator of pyrene exposure (letter), 352
Kodaira M. *See* Satoh C
Kohan MJ. *See* Savela K
Kohn MC: Developing confidence in risk assessments based on physiological toxicokinetic models (editorial), 242–243. *See also* Melnick RL
Koivisto P, Adler I-D, Sorsa M, Peltonen K: Inhalation exposure of rats and mice to 1,3-butadiene induces N^6-adenine adducts of epoxybutene detected by ^{32}P-postlabeling and HPLC, S3:655–657
Kolachana P. *See* Rothman N
Kotesovec F. *See* Srám RJ
Kou Q-R. *See* Dosemeci M; Hayes RB
Koutrakis P. *See* Dockery DW; Raizenne M; Spengler JD
Kugel G. *See* Habib CM
Kuick R. *See* Satoh C
Kulig BM; Comprehensive neurotoxicity assessment, S2:317–322; Bignami G, Cohn J, Cory-Slechta D, Landa V, O'Donoghue J, Peakall D: Animal behavioral methods in neurotoxicity assessment: SGOMSEC joint report, S2:193–204; Alleva E, Kuljukka T, Vaaranrinta R, Veidebaum T, Sorsa M, Peltonen K: Exposure to PAH compounds among cokery workers in the oil shale industry, S3:539–541
Kumar R. *See* Hemminki K
Kusunoki Y. *See* Akiyama M
Kyle AD. *See* Buffler PA
Kyoizumi S. *See* Akiyama M

L

Lafleur AL. *See* Hannigan MP
Lagazio C. *See* Biggeri A
Lähdetie J, Ajosenpää-Saari M, Mykkänen J: Detection of aneuploidy in human spermatozoa of normal semen donors by fluorescence *in situ* hybridization, S3:629–632
Lamm SH. *See* Bezabeh S
Landa V. *See* Kulig B
Landrigan PJ. *See* Todd AC
Lardelli-Claret. *See* Garcia-Rodríguez J
Larsen JC. *See* Toppari J
Larson RA, LeBeau MM, Vardiman JW, Rowley JD: Myeloid leukemia after hematotoxins, S6:1303–1307
Laskin DL, Heck DE, Punjabi CJ, Laskin JD: Role of nitric oxide in hematosuppression and benzene-induced toxicity, S6:1283–1287
Laskin JD. *See* Laskin DL
Lasky T, Silbergeld E: *p53* mutations associated with breast, colorectal, liver, lung, and ovarian cancers, 1324–1331
Lasley BL. *See* Kassam A
LeBeau MM. *See* Larson RA
LeBoeuf RA. *See* Kerckaert GA
Lee Y, Buchanan BG, Rosenkranz HS: Carcinogenicity predictions for a group of 30 chemicals undergoing rodent cancer bioassays based on rules derived from subchronic organ toxicities, S5:1059–1063
Leffers H. *See* Toppari J
Legator MS. *See* Au WW
Leonard L. *See* Farris GM
Leonardis C. *See* Moretti M
Lester SU: Delaney still the best protection (letter), 352
Lévay G. *See* Bodell WJ
Levi PE. *See* Hodgson E
Levin SM. *See* Todd AC

Lewis DFV, Ioannides C, Parke DV: COMPACT and molecular structure in toxicity assessment: a prospective evaluation of 30 chemicals currently being tested for rodent carcinogenicity by the NCI/NTP, S5:1011–1016
Lewis RJ. *See* Gamble JF
Lewtas J. *See* Binková B; Savela K; Srám RJ; Talaska G
Li C-Y. *See* Hayes RB; Linet MS
Li D-G. *See* Hayes RB; Linet MS; Yin S-N
Li G, Wang C, Xin W, Yin S: Tissue distribution of DNA adducts and their persistence in blood of mice exposed to benzene, S6:1337–1338. *See also* Dosemeci M; Hayes RB; Linet MS; Rothman N; Yin S-N; Zhang L
Li M-H, Hansen LG: Enzyme induction and acute endocrine effects in prepubertal female rate receiving environmental PCB/PCDF/PCDD mixtures, 712–722
Li Y. *See* Trush MA
Libraro M. *See* Moretti M
Lin J. *See* Cashman JR
Lin X-F. *See* Dosemeci M; Hayes RB
Linet M. *See* Dosemeci M; Hayes RB; Rothman N; Yin S-N
Littlefield LG. *See* Frome EL
Liu J. *See* Cao J
Lloyd J. *See* Newman LS
Lolacono NJ. *See* Graziano JH
López-Carillo L, Torres-Arreola L, Tores-Sánchez L, Espinosa-Torres F, Jiménez C, Cebrián M, Waliszewski S, Saldate O: Is DDT use a public health problem in Mexico? 584–588; Torres-Sánchez L, Garrido F, Papaqui-Hernández J, Palazuelos-Rendón E, López-Cervantes M: Prevalence and determinants of lead intoxication in Mexican children of low socioeconomic status, 1208–1211
López-Cervantes M. *See* López-Carrillo L
López-Yarto A. *See* García-Sagredo JM; Hoyos LS
Louhelainen J. *See* Hemminki K
Lovik M. *See* Johansen HR
Lu W. *See* Rothman N; Zhang L
Lucier GW: Mechanism-based toxicology in cancer risk assessment: implications for research, regulation, and legislation, 84–88; Hook GER: Anniversaries and issues (editorial), 350. *See also* Kavlock RJ
Ludwig JP. *See* Grasman KA
Lukanova A. *See* Costa M
Luna-del-Castillo JD. *See* Garcia-Rodríguez J
Lunden A. *See* Noren K
Luster MI. *See* Holladay SD; Kavlock RJ
Lynch CF. *See* Acquavella JF; Alavanja MCR
Lynge E: Use of cancer incidence data in identification of cancer causation, S3:639–641

M

Mac MJ. *See* Kavlock RJ
MacDougal KC, Johnson MD, Burnett KG: Exposure to mercury alters early activation events in fish leukocytes, 1102–1106
MacGregor JO. *See* Bleasdale C
Macina OT. *See* Zhang YP
MacIntosh DL, Spengler JD, Özkaynak H, Tsai L-h, Ryan PD: Dietary exposures to selected metals and pesticides, 202–209
Mackerer CR. *See* Angelosanto FA
MacPhail RC. *See* Cohn J; Tilson HA
Maczka C. *See* Kavlock RJ
Maeda A. *See* Yamakido M
Maier A. *See* Talaska G
Malins DC: Free radicals and breast cancer (letter), 1140
Mangipudy RS, Rao PS, Mehendale HM: Effect of an antimitotic agent colchicine on thioacetamide hepatotoxicity, 744–749
Mansour SA: Third congress of toxicology in developing countries: together for human and environmental welfare, 324–325
Manton WI. *See* Graziano JH
Marchant CA, The DEREK Collaborative Group: prediction of rodent carcinogenicity using the DEREK system for 30 chemicals currently being tested by the National Toxicology Program, S5:1065–1073
Marcino J. *See* Folmar L
Mariën K: Establishing tolerable dungeness crab (*Cancer magister*) and razor clam (*Siliqua patula*) domoic acid contaminant levels, 1230–1236
Markowitz ME, Bijur PE, Ruff HA, Balbi K, Rosen JF: Moderate lead poisoning: trends in blood lead levels in unchelated children, 968–979. *See also* Ruff HA
Maronpot R. *See* Albert RE
Marquenie JM. *See* Vethaak AD
Marzia V. *See* Mastrangelo G
Mastrangelo G, Fadda E, Marzia V: Polycyclic aromatic hydrocarbons and cancer in man, 1166–1170
Masuda M. *See* Ishizuka M
McCraw JM. *See* Ashley DL
McCready WA. *See* Balcer-Kubiczek EK
McDonald TA. *See* Rappaport SM
McDonnell CJ. *See* Alavanja MCR
McKinney JD: Reactivity parameters in structure–activity relationship-based risk assessment of chemicals, 810–816
McLachlan JA. *See* Arnold SF; Klotz DM; Toppari J; Vonier PM
McMaster SB: *See* Alavanja MCR
Medina MA: *See* Jacobs TL
Medinsky MA, Kenyon EM, Seaton MJ, Schlosser PM: Mechanistic considerations in benzene physiological model development, S6:1399–1404
Mehendale HM. *See* Mangipudy R
Mehlman MA: MTBE toxicity (letter), 808
Meijboom A. *See* Vethaak AD
Mekenyan OG, Veith GD, Call DJ, Ankley GT: A QSAR evaluation of Ah receptor binding of halogenated aromatic xenobiotics, 1302–1310
Melnick RL, Kohn MC, Portier CJ: Implications for risk assessment of suggested nongenotoxic mechanisms of chemical carcinogenesis, S1:123–134
Meltz ML. *See* Hsie AW
Meltzer SJ. *See* Balcer-Kubiczek EK
Meng J-F. *See* Dosemeci M; Hayes RB
Menkes DB. *See* Fawcett JP
Mertens PLJM. *See* van Maanen JMS
Meyer KB. *See* Rothman N
Meyer MJ, Bechtold WE: Protein adduct biomarkers: state of the art, S5:879–882
Meyer O. *See* Toppari J
Meyer S. *See* Binková B
Miguel AG, Cass GR, Weiss J, Glovsky MM: Latex allergens in tire dust and airborne particles, 1180–1186
Miller R. *See* Kavlock RJ
Minamoto N. *See* Ishizuka M
Mísková I. *See* Binková B
Moline JM. *See* Todd AC
Monarca S, Scassellati-Sforzolini G, Donato F, Angeli G, Spiegelhalder B, Fatigoni C, Pasquini R: Biological monitoring of workers exposed to *n*-nitrosodiethanolamine in the metal industry, 78–82
Monarca S. *See* Moretti M
Mooney LA. *See* Perera FP
Moore DH II. *See* Tucker JD
Moore J. *See* Kavlock RJ
Moore LE. *See* Hopenhayn-Rich C
Moore MR. *See* Graziano JH
Moorman MP. *See* Thomas RS
Moran JL. *See* Ross D
Moretti M, Villarini M, Scassellati-Sforzolini G, Monarca S, Libraro M, Fatigoni C, Donato F, Leonardis C, Perego L: Biological monitoring of genotoxic hazard in workers of the rubber industry, S2:543–545
Morgan DG. *See* Thomas RS
Moriguchi I, Hirano H, Hirono S: Prediction of the rodent carcinogenicity of organic compounds from their chemical structures using the FALS method, S5:1051–1058
Morimoto K, Takeshita T: Low K_m aldehyde dehydrogenase (ALDH2) polymorphism, alcohol-drinking behavior, and chromosome alterations in peripheral lymphocytes, S3:563–567. *See also* Nakajima M
Morris CB. *See* Bezabeh S
Morris MD. *See* Jones TD
Mrácková G. *See* Binková B
Müller G. *See* Norpoth KH
Müller J. *See* Toppari J
Mumford J. *See* Binková B
Murphy SE. *See* Weaver VM
Mushak P, Crocetti AF: Accuracy, arsenic, and cancer [response to

Slayton et al.] (letter), 1014–1018
Mykkänen J. *See* Lähdetie J

N

Nadas A. *See* Penn A
Nagao M, Wakabayashi K, Ushijima T, Toyota M, Totsuka Y, Sugimura T: Human exposure to carcinogenic heterocyclic amines and their mutational fingerprints in experimental animals, S3:497–501. *See also* Sugimura T
Nakajima M, Takeuchi T, Takeshita T, Morimoto K: 8-hydroxydeoxyguanosine in human leukocyte DNA and daily health practice factors: effects of individual alcohol sensitivity, 1336–1338
Natarajan AT, Boei JJWA, Darroudi F, Van Diemen PCM, Dulout F, Hande MP, Ramalho AT: Current cytogenetic methods for detecting exposure and effects of mutagens and carcinogens, S3:445–448
Neas LM. *See* Dockery DW; Raizenne M
Nedelcheva V. *See* Gut I
Neel JV. *See* Satoh C
Neubert RL. *See* Frome EL
Neumann DA, Crisp TM, Olin SS: Mammary gland neoplasia, 912–914
Newbold RR. *See* Shelby MD
Newman LS: Significance of the blood beryllium lymphocyte proliferation test, S5:953–956; Lloyd J, Daniloff E: The natural history of beryllium sensitization and chronic beryllium disease, S5:937–943. *See also* Tinkle SS
Nicklas JA. *See* Albertini RJ
Nicolich MJ. *See* Gamble JF; Schnatter AR
Niculescu R. *See* Hazel BA; Kalf GF
Nieschalk J. *See* Bleasdale C
Nikula KJ. *See* Finch GL
Nogueras-Ocaña M. *See* Garcia-Rodríguez J
Noren K, Lunden A, Pettersson E, Bergman A: Methylsulfonyl metabolites of PCBs and DDE in human milk in Sweden, 1972–1992, 766–772
Norpoth KH, Müller G, Schell C, Jorg E: Phenylguanine found in urine after benzene exposure, S6:1159–1163
Notides AC. *See* Arnold SE
Novillo-Fertrell A. *See* Olea N
Nussbaum RH, Kohnlein W: Radiation and childhood cancer, 353–354

O

O'Connor A. *See* Hazel BA
O'Connor RW. *See* Thomas RS
O'Donoghue JL: Clinical neurologic indices on toxicity in animals, S2:323–330. *See also* Kulig B
O'Neill JP. *See* Albertini RJ
O'Neill MS: Helping schoolchildren with asthma breathe easier: partnerships in community-based environmental health education, 464–466
Olaiz-Fernandez G. *See* Fortoul TI
Olden K: A bad start for socioeconomically disadvantaged children (editorial), 462–463; Thirty years of environmental health research–and growing (editorial), 1010–1011; Guthrie J: Air toxics regulatory issues facing urban settings, S5:857–860
Olea N, Pulgar R, Pérez P, Olea-Serrano F, Rivas A, Novillo-Fertrell A, Pedraza V, Soto AM, Sonnenschein C: Estrogenicity of resin-based composites and sealants used in dentistry, 298–305. *See also* Garcia-Rodríguez J
Olea-Serrano F. *See* Olea N
Olin SS: *See* Neumann DA
Omiecinski CJ. *See* Heinonen JT
Opperhuizen A. *See* Vethaak AD
Orozco L. *See* Hoyos LS
Orzechowski A. *See* Schrenk D
Osnaya-Brizuela N. *See* Calderón-Garcidueñas L
Osorio L. *See* Fortoul TI
Osterhaus ADME. *See* de Swart RL
Osterloh JD. *See* Smith DR
Osterman-Golkar S, Bond JA: Biomonitoring of 1,3-butadiene and related compounds, S5:907–915
Ostrosky-Wegman P, Gonsebatt ME: Environmental toxicants in developing countries, S3:599–602
Otto D. *See* Srám RJ
Overstreet JW. *See* Kassam A
Ovrebo S, Fjeldstad PE, Kure EH, Haugen A, Grzybowska E: Response [to Knott, Kirton] (letter), 352–353
Özkaynak H. *See* MacIntosh DL

P

Palazuelos-Rendón E. *See* Hernandez-Avila M; López-Carrillo L
Palmer AK. *See* Ulbrich B
Papaqui-Hernández J. *See* López-Carrillo L
Pardoe D. *See* Bachmann K
Parke DV: Introduction: personal reflections on 50 years of study of benzene toxicology, S6:1123–1128. *See also* Lewis DFV
Pasquini R. *See* Monarca S
Pathak DN. *See* Bodell WJ
Patrone V. *See* Kanitz S
Paxton MB: Leukemia risk associated with benzene exposure in the Pliofilm cohort, S6:1431–1436
Peakall DB: Disrupted patterns of behavior in natural populations as an index of ecotoxicity, S2:331–335. *See also* Kulig B
Pearce K. *See* Bleasdale C
Pearlman ED. *See* Gamble JF; Schnatter AR
Pedersen LG. *See* Darden TA
Pedraza V. *See* Olea N
Pekari K. *See* Bois FY
Pellizzari E. *See* Wallace L
Peltonen K. *See* Koivisto P; Kuljukka T
Pena C. *See* Carter DE
Penn A, Keller K, Snyder C. Nadas A, Chi Chen L: The tar fraction of cigarette smoke does not promote arteriosclerotic plaque development, 1108–1112
Pennybacker M. *See* Alavanja MCR
Perego L. *See* Moretti M
Perera FP, Mooney LA, Dickey CP, Santella RM, Bell D, Blaner W, Tang D, Whyatt RM: Molecular epidemiology in environmental carcinogenesis, S3:441–443. *See also* Savela K
Pérez R. *See* Olea N
Perez-Coll C. *See* Herkovits J
Perotti BYT. *See* Cashman JR
Perreault SD. *See* Srám RJ
Peterková K. *See* Binková B
Peters HL. *See* Weaver VM
Peters-Golden M. *See* Tithof PK
Peterson KE. *See* Hernandez-Avila M
Petruzzi S. *See* Cuomo V
Pettersson E. *See* Noren K
Phillips DH: DNA adducts in human tissues: biomarkers of exposure to carcinogens in tobacco smoke, S3:453–458
Piver W. *See* Jacobs TL
Planting S. *See* Johansen HR
Poiger H. *See* van Birgelen APJM
Poirier MC, Weston A: Human DNA adduct measurements: state of the art, S5:883–893
Pond S. *See* Graziano JH
Pongracz K. *See* Bodell WJ
Pope, CA III, Kalkstein LS: Synoptic weather modeling and estimates of the exposure–response relationship between daily mortality and particulate air pollution, 414–420
Popov T. *See* Costa M
Porter RC. *See* Hsie AW
Portier CJ, Lyles CM: Practicing safe modeling: GLP for biologically based mechanistic models (editorial), 806. *See also* Melnick RL
Pulgar R. *See* Olea N
Punjabi CJ. *See* Laskin DL
Purdy R: A mechanism-mediated model for carcinogenicity: model content and prediction of the outcome of rodent carcinogenicity bioassays currently being conducted on 25 organic chemicals, S5:1085–1094

Q

Quintana PJE. *See* Rothman N

R

Raabe GK, Wong O: Leukemia mortality by cell type in petroleum workers with potential exposure to benzene, S6:1381–1392
Rabache M. *See* Robbana-Barnat S
Raffo E. *See* Kanitz S
Rahill A. *See* Fiedler N
Raipert-De Meyts E. *See* Toppari J
Raizenne M, Neas LM, Damokosh AI, Dockery DW, Spengler JD,

Koutrakis P, Ware JH, Speizer FE: Health effects of acid aerosols on North American children: pulmonary function, 506–514. *See also* Dockery DW; Kinney PL; Spengler JD; Natarajan AT
Ramalho AT. *See*
Ramírez-Martínez L. *See* Calderón-Garcidueñas L
Rao PS. *See* Mangipudy R
Rao V. *See* Folmar L
Rappaport SM, McDonald TA, Yeowell-O'Connell K: The use of protein adducts to investigate the disposition of reactive metabolites of benzene, S6:1235–1237
Ravera G. *See* Kanitz S
Reif JS, Hatch MC, Bracken M, Holmes LB, Schwetz BA, Singer PC: Reproductive and developmental effects of disinfection by-products in drinking water, 1056–1061
Reilly MT. *See* Heinonen JT
Rembish SJ. *See* Trush MA
Renz JF. *See* Kalf GF
Resino M. *See* García-Sagredo JM
Rettenmeier AW. *See* Seidel U
Reynolds KA. *See* Slayton TM
Rheinallt T. *See* Vethaak AD
Rialland E. *See* Robbana-Barnat S
Rice DC: Behavioral effects of lead: commonalities between experimental and epidemiologic data, S2:337–351; Evangelista de Duffard AM, Duffard R, Iregren A, Satoh H, Watanabe C: Lessons for neurotoxicology from selected model compounds: SGOMSEC joint report, S2:205–215
Riggi C. *See* Kanitz S
Riordan SG. *See* Acquavella JF
Rios C. *See* Farias P
Rivas A. *See* Olea N
Robbana-Barnat S, Rabache M, Rialland E, Fradin J: Heterocyclic amines: occurrence and prevention in cooked food, 280–288
Robinson MK. *See* Arnold SF
Robinson SN. *See* Farris GM
Robinson VA. *See* Castranova V
Robison TW, Zhou H, Kim K-J: Generation of glycolaldehyde from guinea pig airway epithelial monolayers exposed to nitrogen dioxide and its effect on sodium pump activity, 852–856
Rodriguez J. *See* Hoyos LS
Rogh RA. *See* Brown AP
Rojas-Lopez M. *See* Farias P
Rolland R. *See* Kavlock RJ
Romieu I. *See* Hernandez-Avila M
Rosen FJ. *See* Ruff HA
Rosen JF. *See* Markowitz ME
Rosenkranz HS. *See* Lee Y; Zhang YP
Ross PS. *See* de Swart RL
Rossland OJ. *See* Johansen HR
Rossman MD: Chronic beryllium disease: diagnosis and management, S5:945–947
Rössner P. *See* Binková B
Rothman N. *See* Alavanja MCR
Rothman N. *See* Dosemeci M; Hayes RB; Linet MS; Talaska G; Zhang L
Rowley JD. *See* Larson RA
Roy A. *See* Weisel C
Rubes J. *See* Srám RJ
Rudacille D. *See* Zurlo J
Ruff HA, Markowitz ME, Bijur PE, Rosen FJ: Relationships among blood lead levels, iron deficiency, and cognitive development in two-year-old children, 180–185. *See also* Markowitz ME
Rushton L: Benzene exposure in the petroleum distribution industry associated with leukemia in the United Kingdom: overview of the methodology of a case-control study, S6:1371–1374
Russo IH, Russo J: Mammary gland neoplasia in long-term rodent studies, 938–967
Russo J. *See* Russo IH
Ryan PD. *See* MacIntosh DL
Rydzynski K. *See* Gromadzinska J

S

Sahl J, Dolan M: An evaluation of precaution-based approaches as EMF policy tools in community environments, 908–911
Salazar D. *See* Fortoul TI
Saldate O. *See* Lopez-Carillo L
Samuels SW: A moral history of the evolution of a caste of workers, S5:991–998
Sanchez-Hombre MDC. *See* García-Sagredo JM
Sandler DP. *See* Alavanja MCR
Santella RM. *See* Perera FP
Satoh C, Takahashi N, Asakawa J, Kodaira M, Kuick R, Hanash SM, Neel JV: Genetic analysis of children of atomic bomb survivors, S3:511-519
Satoh H. *See* Rice DC; Watanabe C
Savela K, Kohan MJ, Walsh D, Perera FP, Hemminki K, Lewtas J: *In vitro* characterization of DNA adducts formed by foundry air particulate matter, S3:687–690
Scanlon PF. *See* Grasman KA
Scassellati-Sforzolini G. *See* Monarca S; Moretti M
Schattenberg DG. *See* Ross D
Scheike T. *See* Toppari J
Schell C. *See* Norpoth KH
Schiamberg E. *See* Tithof PK
Schlosser PM. *See* Medinsky MA
Schnatter AR, Armstrong TW, Thompson LS, Nicolich MJ, Katz AM, Huebner WW, Pearlman ED: The relationship between low-level benzene exposure and leukemia in Canadian petroleum distribution workers, S6:1375–1379
Schneider M. *See* Tonn T
Schoeny R: Use of genetic toxicology data in U.S. EPA risk assessment: the Mercury Study Report as an example, S3:663–673
Schoof RA. *See* Slayton TM
Schreinemachers D. *See* Garry VF
Schreiner CA. *See* Angelosanto FA
Schrenk D, Orzechowski A, Schwarz LR, Snyder R, Burchell B, Ingelman-Sundberg M, Bock KW: Phase II metabolism of benzene, S6:1183–1188
Schultze E. *See* Brown AP
Schwartz JL. *See* Hsie AW
Schwarz LR. *See* Schrenk D
Schweinsberg F. *See* Seidel U
Schweizer E. *See* Seidel U
Schwetz BA. *See* Reif JS
Schwitters PW. *See* Tinkle SS
Scott G. *See* Kavlock RJ
Scursatone E. *See* Gilli G
Seaton MJ. *See* Medinsky MA
Seidel U, Schweizer E, Schweinsberg F, Wodarz R, Rettenmeier AW: Occurrence of polychlorinated terphenyls (PCTs) in indoor particulate matter, 1172–1179
Seinen W. *See* van Birgelen APJM
Selevan SG. *See* Srám RJ
Setzer RW. *See* Kavlock RJ
Shah R. *See* Farris GM
Shane BS. *See* Cunningham ML
Sharpe R. *See* Toppari J
Sheehan DM. *See* Kavlock RJ
Shelby MD, Newbold RR, Tully DB, Chae K, Davis VL: Assessing environmental chemicals for estrogenicity using a combination of *in vitro* and *in vivo* assays, 1296–1300
Shi Z-M. *See* Balcer-Kubiczek EK
Shimada T. *See* Guengerich FP
Sidhu JS. *See* Heinonen JT
Siegel D. *See* Ross D
Silbergeld E. *See* Lasky T
Singer PC. *See* Reif JS
Sinks T. *See* Kavlock RJ
Sithisarankul P. *See* Strickland P
Skakkebaek NE. *See* Toppari J
Skalik I. *See* Srám RJ
Sklodowska M. *See* Gromadzinska J
Slavkovich V. *See* Graziano JH
Slayton TM, Beck BD, Reynolds KA, Chapnick SD, Valberg PA, Yost LJ, Schoof RA, Gauthier TD, Jones L: Issues in arsenic cancer risk

assessment, (letter), 1012–1014
Sloane RA. *See* Thomas RS
Slob R. *See* van Wijnen JH
Smith AH. *See* Hopenhayn-Rich C
Smith DR, Osterloh JD, Flegal AR: Use of endogenous, stable lead isotopes to determine release of lead from the skeleton, 60–66
Smith MH. *See* Frome EL
Smith MT: The mechanism of benzene-induced leukemia: a hypothesis and speculations on the causes of leukemia, S6:1219–1225; *See also* Bois FY; Rothman N; Zhang L
Snow-Harter C. *See* Kassam A
Snyder C. *See* Penn A
Snyder R: Preface: Benzene '95: an international conference on the toxicity, carcinogenesis, and epidemiology of benzene, S6:1121–1128; Hedli CC: An overview of benzene metabolism, S6:1165–1171. *See also* Hoyos LS; Schrenk D; Solano L
Sonnenschein C. *See* Olea N
Sorsa M. *See* Koivisto P; Kuljukka T
Soto AM. *See* Olea N
Soucek P. *See* Gut I
Spalding J. *See* Albert RE; Tennant RW
Speizer FE. *See* Dockery DW; Raizenne M; Spengler JD
Spengler JD, Koutrakis P, Dockery DW, Raizenne M, Speizer FE: Health effects of acid aerosols on North American Children: air pollution exposures, 492–499. *See also* Dockery DW; MacIntosh DL; Raizenne M
Spiegelhalder B. *See* Monarca S
Srám RJ; Benes I, Binková B, Dejmek J, Horstman D, Kotesovec F, Otto D, Perreault SD, Rubes J, Selevan SG, Skalik I, Stevens RK, Lewtas J: Teplice program—the impact of air pollution on human health, S4: 699–714. Srám RJ: Future research directions to characterize environmental mutagens in highly polluted areas, S3:603–607; *See also* Binková B; Au WW
Srinivasan A. *See* King RD
Stack HF. *See* Tice RR: Statement from the work session on chemically-induced alterations in the developing immune system: the wildlife/human connection, S4:807–808
Stanta G. *See* Biggeri A
Steinmann-Steiner-Haldenstatt W: *See* Tonn T
Stetina R. *See* Collins AR
Stevens RG, Davis S: The melatonin hypothesis: electric power and breast cancer, S135-140
Stevens RK. *See* Srám RJ
Stieb DM, Burnett RT, Beveridge RC, Brook JR: Association between ozone and asthma emergency department visits in Saint John, New Brunswick, Canada, 1354–1360
Stillman WS. *See* Irons RD; Rothman N
Stopka P. *See* Gut I
Strange AW, Furman FJ, Hilmas DE: Rocky Flats beryllium health surveillance, S5:981–986
Strickland P, Kang D, Sithisarankul P: Polycyclic aromatic hydrocarbon metabolites in urine as biomarkers of exposure and effect, S5:927–932
Strunk MR. *See* Bechtold WE
Sugimura T, Nagao M, Wakabayashi K: Carcinogenicity of food mutagens, S3:429–433. *See also* Nagao M
Sugita A. *See* Yamaguchi R
Suk WA, Collman G, Damstra T: Human biomonitoring: research goals and needs, S3:479–483. *See also* Carpenter DO; Carter DE
Sumpter J. *See* Toppari J
Sun J. *See* Hsie AW
Sun XM. *See* Ross D
Sunyer J. *See* Weaver VM
Sussman N. *See* Zhang YP
Suzuki KT. *See* Hirano S

T

Tablado L, Pérez-Sánchez F, Soler C: Is sperm motility maturation affected by static magnetic fields?, 1212–1216
Taioli E. *See* Costa M
Takahashi N. *See* Satoh C
Takeshita T. *See* Morimoto K; Nakajima M
Takeuchi T. *See* Nakajima M
Talaska G, Underwood P, Maier A, Lewtas J, Rothman N, Jaeger M: Polycyclic aromatic hydrocarbons (PAHs), nitro-PAHs and related environmental compounds: biological markers of exposure and effects, S5:901–906
Tan W-Y, Zhang JH: Monte Carlo results for the 3-poly test for animal carcinogenicity experiments, 872–877
Tanabe K. *See* Akiyama M
Tang D. *See* Perera FP
Tennant RW, Spalding J: Predictions for the outcome of rodent carcinogenicity bioassays: identification of trans-species carcinogens and noncarcinogens, S5:1095–1100. *See also* Albert RE
Thilly WG. *See* Hannigan MP
Thomas RS, Yang RSH, Morgan DG, Moorman MP, Kermani HRS, Sloane RA, O'Connor RW, Adkins B Jr, Gargas ML, Andersen ME: PBPK modeling/Monte Carlo simulation of methylene chloride kinetic changes in mice in relation to age and acute, subchronic, and chronic inhalation exposure, 858–865
Thompson LS. *See* Schnatter AR
Thunberg E. *See* Flato S
Thurston GD. *See* Kinney PL
Tice RR, Stack HF, Waters MD: Human exposures to mutagens—an analysis using the genetic activity profile database, S3:585–589
Tichavská B. *See* Gut I
Tilson HA, MacPhail RC, Crofton DM: Setting exposure standards: a decision process, S2:401–405. *See also* Hattis D; Kavlock RJ
Timitilli D. *See* Kanitz S
Tindall KR. *See* Cunningham ML
Tinkle SS, Schwitters PW, Newman LS: Cytokine production by bronchoalveolar lavage cells in chronic beryllium disease, S5:969–971
Titenko-Holland N. *See* Rothman N
Tithof PK, Schiamberg E, Peters-Golden M, Ganey PE: Phospholipase A_2 is involved in the mechanism of activation of neutrophils by polychlorinated biphenyls, 52–58
Todd AC, Wetmur JG, Moline JM, Godbold JH, Levin SM, Landrigan PJ: Unraveling the chronic toxicity of lead: an essential priority for environmental health, S1:141–146
Toniolo P. *See* Costa M
Tonn T, Esser C, Schneider ME, Steinmann-Steiner-Haldenstatt W, Gleichmann E: Persistence of decreased T-helper cell function in industrial workers 20 years after exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, 422–426
Törnqvist M. *See* Ehrenberg L
Torres-Arreola L. *See* López-Carillo L
Torres-Sánchez L. *See* López-Carrillo L
Totsuka Y. *See* Nagao M
Tovar AT. *See* Fortoul TI
Toyota M. *See* Nagao M
Travis LB. *See* Hayes RB; Linet MS; Yin S-N
Trosko JE. *See* Kang K-S
Trush MA, Twerdok LE, Rembish SJ, Zhu H, Li Y: Analysis of target cell susceptibility as a basis for the development of a chemoprotective strategy against benzene-induced hematotoxicities, S6:1227–1234
Tsai L-h. *See* MacIntosh DL
Tsongas TA: PBBs: potential effects in children (letter), 1267–1268
Tucker JD, Moore DH II: The importance of age and smoking in evaluating adverse cytogenetic effects of exposure to environmental agents, S3:489–492
Tullis K. *See* Villalobos SA
Tully DB. *See* Shelby MD
Tunca BT, Egeli U: Cytogenetic findings on shoe workers exposed long-term to benzene, S6:1313–1317
Twerdok LE. *See* Trush MA
Tyring SK. *See* Au WW

U

Ueng Y-F. *See* Guengerich FP
Ulbrich B, Palmer AK: Neurobehavioral aspects of developmental toxicity testing, S2:407–412. *See also* Hattis D
Underwood P. *See* Talaska G
Ushijima T. *See* Nagao M

V

Vaaranrinta R. *See* Kuljukka T
Valberg PA. *See* Slayton TM
Vallcorba I. *See* García-Sagredo JM

van Birgelen APJM, Fase KM, van der Kolk J, Poiger H, Brouwer A, Seinen W, van den Berg M: Synergistic effect of 2,2′,4,4′,5,5′-hexachlorobiphenyl and 2,3,7,8-tetrachlorodibenzo-*p*-dioxin on hepatic porphyrin levels in the rat, 550–557
van de Weerdt R. *See* van Wijnen JH
van de Zande T. *See* Vethaak AD
van den Berg M. *See* van Birgelen APJM
van der Kolk J. *See* van Birgelen APJM
Van Diemen PCM. *See* Natarajan AT
van Maanen JMS, Welle IJ, Hageman G, Dallinga JW, Mertens PLJM, Kleinjans JCS: Nitrate contamination of drinking water: relationship with *HPRT* variant frequency in lymphocyte DNA and urinary excretion of *N*-nitrosamines; 522–528
van Sittert NJ. *See* Boogaard PJ
van Wijnen JH, Slob R, Jongmans-Liedekerken G, van de Weerdt R, Woudenberg F: Exposure to polycyclic aromatic hydrocarbons among Dutch children, 530–534
Varady R. *See* Carter DE
Vardiman JD. *See* Larson RA
Veidebaum T. *See* Kuljukka T
Veith GD. *See* Mekenyan OG
Venitt S: Mechanisms of spontaneous human cancers, S3:633–637
Venkatesh P. *See* Zhang L
Verdina A, Zito R, Cortese G, Zijno A, Crebelli R: Modulation of DNA binding *in vivo* by specific humoral immunological response: a novel host factor in environmental carcinogenesis?, S3:679–682
Vestergaard AB. *See* Autrup H
Vethaak AD, Jol JG, Meijboom A, Eggens ML, Rheinallt T, Wester PW, van de Zande T, Bergman A, Dankers N, Ariese F, Baan RA, Everts JM, Opperhuizen A, Marquenie JM: Skin and liver diseases induced in flounder (*Platichthys flesus*) after long-term exposure to contaminated sediments in large-scale mesocosms, 1218–1229
Villalobos SA, Anderson MJ, Denison MS, Hinton DE, Tullis K, Kennedy IM, Jones AD, Chang DPY, Yang G, Kelly P: Dioxinlike properties of a trichloroethylene combustion-generated aerosol, 734–743
Villarini M. *See* Moretti M
Villarreal-Calderón A. *See* Calderón-Garcidueñas L
Vodicka P. *See* Hemminki K
vom Saal FS. *See* Walker SE
Vonier PM, Crain DA, McLachlan JA, Guillette LJ Jr, Arnold SF: Interaction of environmental chemicals with the estrogen and progesterone receptors from the oviduct of the American alligator, 1318–1322
Vos JG. *See* de Swart RL

W

Wacholder S. *See* Dosemeci M; Hayes RB; Linet MS; Yin S-N
Wachsman JT. *See* Bristol DW
Wakabayashi K. *See* Nagao M; Sugimura T
Wakeford R: Response [to Nussbaum, Kohnlein] (letter), 354
Waliszewski S. *See* López-Carillo L
Walker SE, Keisler LW, Caldwell CW, Kier AB, vom Saal FS: Effects of altered prenatal hormonal environment on expression of autoimmune disease in NZB/NZW mice, S4:815–821
Wallace L: Environmental exposure to benzene: an update, S6:1129–1136; Buckley T, Pellizzari E, Gordon S: Breath measurements as volatile organic compound biomarkers, S5:861–869
Walmsley TA. *See* Fawcett JP
Walsh D. *See* Savela K
Walters MR. *See* Klotz DM
Wang C. *See* Li G
Wang Y-Z. *See* Dosemeci M; Hayes RB; Rothman N; Zhang L
Ward JB Jr, Henderson RE: Identification of needs in biomarker research, S5:895–900
Ware JH. *See* Dockery DW; Raizenne M
Warmerdam JM. *See* Jacobs TL
Warner KE, Courant PN, Mendez D: Radon risks (letter), 134
Wasowicz W. *See* Gromadzinska J
Watanabe C, Satoh H: Evolution of our understanding of methylmercury as a health threat, S2:367–379. *See also* Rice DC
Waters MD. *See* Tice RR
Watson WP. *See* Bleasdale C
Weaver VM, Davoli CT, Heller PJ, Fitzwilliam A, Peters HL, Sunyer J, Murphy SE, Goldstein GW, Groopman JD: Benzene exposure, assessed by urinary *trans,trans*-muconic acid, in urban children and elevated blood lead levels, 318–323
Weihe P. *See* Grandjean P
Weisburger E. *See* Huff J
Weisel CP, Jo W-K: Ingestion, inhalation, and dermal exposures to chloroform and trichloroethene from tap water, 48–50; Yu R, Roy A, Georgopoulos P: Biomarkers of environmental benzene exposure, S6:1141–1146
Weiss B; Elsner J: Preface: risk assessment for neurobehavioral toxicity, S2:171; Introduction: the intersection of risk assessment and neurobehavioral toxicity, S2:173–177
Weiss J. *See* Miguel AG
Welle IJ. *See* van Maanen JMS
Wester PW. *See* Vethaak AD
Weston A. *See* Poirier MC
Wetherell A: Performance tests, S2:247–273. *See also* Fiedler N
Wetmur JG. *See* Todd AC
White D. *See* Bachmann K
White RF. *See* Feldman RG; Grandjean P
Whyatt RM. *See* Perera FP
Wiemels J. *See* Rothman N
Wierzewska A. *See* Anderson D
Wilkinson GS. *See* Au WW
Williams DE. *See* Bailey GS
Williams SM. *See* Fawcett JP
Williams WJ: United Kingdom beryllium registry: mortality and autopsy study, S5:949–951
Wilson MR. *See* Kang K-S
Witz G, Zhang Z, Goldstein BD: Reactive ring-opened aldehyde metabolites in benzene hematotoxicity, S6:1195–1199
Wodarz R. *See* Seidel U
Wohl AR, Dominguez A, Flessel P: Evaluation of lead levels in children living near a Los Angeles County battery recycling facility, 314–317
Wong BA. *See* Farris GM
Wong O. *See* Raabe GK
Wong VA. *See* Farris GM
Wooten JV. *See* Ashley DL
Woudenberg F. *See* van Wijnen JH
Wu J. *See* Cao J

X

Xi L. *See* Rothman N
Xin W. *See* Li G
Xu Z. *See* Hsie AW

Y

Yamaguchi R, Hirano T, Asami S, Sugita A, Kasai H: Increase in the 8-hydroxyguanine repair activity in the rat kidney after the administration of a renal carcinogen, ferric nitrilotriacetate, S3:651–653
Yamakido M, Ishioka S, Hiyama K, Maeda A: Former poison gas workers and cancer: incidence and inhibition of tumor formation by treatment with biological response modifier N-CWS, S3:485–488
Yamazaki H. *See* Guengerich FP
Yang G. *See* Villalobos SA
Yang RSH. *See* Thomas RS
Ye P-Z. *See* Dosemeci M; Hayes RB
Ye Q. *See* Bodell WJ
Yeowell-O'Connell K. *See* Rappaport SM
Yin S-N, Hayes RB, Linet MS, Li G-L, Dosemeci M, Travis LB, Zhang Z-N, Li D-G, Chow W-H, Wacholder S, Blot WJ, The Benzene Study Group: an expanded cohort study of cancer among benzene-exposed workers in China, S6:1339–1341. *See also* Dosemeci M; Hayes RB; Li G; Linet MS; Rothman N; Zhang L
Yoshikawa, K: Anomalous nonidentity between *Salmonella* genotoxicants and rodent carcinogens: nongenotoxic carcinogens and genotoxic noncarcinogens, 40–46
Yost LJ. *See* Slayton TM
Yu R. *See* Weisel CP
Yu RL. *See* Aaron CS
Yu Y. *See* Hsie AW

Z

Zahm SH. *See* Alavanja MCR
Zhang JH. *See* Tan W-Y
Zhang L, Rothman N, Wang Y, Hayes RB, Bechtold W, Venkatesh P, Yin S, Wang Y, Dosemeci M, Li G, Lu W, Smith MT: Interphase cytogenetics of workers exposed to benzene, S6:1325–1329. *See also* Rothman N
Zhang W-U. *See* Dosemeci M
Zhang WY. *See* Hayes RB
Zhang X-C. *See* Dosemeci M
Zhang X-F. *See* Balcer-Kubiczek EK
Zhang YP, Sussman N, Macina OT, Rosenkranz HS, Klopman G: Prediction of the carcinogenicity of a second group of organic chemicals undergoing carcinogenicity testing, S5:1045–1050
Zhang Z-N. *See* Hayes RB; Linet MS; Yin S-N
Zhang Z. *See* Witz G
Zhao HB. *See* Hayes RB
Zhao Y. *See* Cao J
Zhitkovich A. *See* Costa M
Zho J-S. *See* Dosemeci M; Hayes RB
Zhou D. *See* Cao J
Zhou H. *See* Robison TW
Zhu H. *See* Trush MA
Zijno A. *See* Verdina A
Zimmer DM. *See* Aaron CS
Zito R. *See* Benigni R; Verdina A
Zurlo J, Rudacille D, Goldberg AM: The three Rs: the way forward, 878–880

Subject Index for Volume 104

A

absorption, of benzene, S6:1173
2-acetylaminofluorene, S3:679–681
N-acetyltransferases, 257
acid aerosols, health effects in children, 492–499, 500–505, 506–514
acquired immune deficiency syndrome. *See* AIDS
acrylamide, neurotoxicological effects of, S1:61–62
activity tests, S2:289–291
adducts. *See* DNA adducts; protein adducts
adenosine triphosphate, alteration of cellular levels, 475
adipose tissue, DDT in, 584–588
aflatoxin B_1
  metabolism of, S3:557–561
  in rainbow trout, S1:8–16
age, importance in evaluation of cytogenetic effects, S3:489–492
Agent Orange, health effects in Vietnam, 1281
Agricultural Health Study, 362–369
agriculture
  cleaning up waste associated with, 600
  exposure to dusts, 26–30
  and Hodgkin's disease, 362
  use of pesticides, 1283, 1286, S3:535–538
    and birth defects, 394–399
  use of transgenics, 704
Ah receptor. *See* aryl hydrocarbon receptor
AIDS, in Thailand, 1290. *See also* human immunodeficiency virus
air pollution, S4:699–713. *See also* air quality
  acid aerosols, 492–499, 500–505, 506–514
  in Asia, 268, 1284–1285, 1289
  and asthma, 24–25, 1354–1360
  atmospheric ozone and lung function, 170–174
  biomarkers of exposure to, S5:851–854
  from brickmaking, 470–472
  DNA strand breaks induced by, 160–168
  in Europe, 32, 750–754, S6:1137–1140
  hazards to children, 147
  indoor, 1032
    benzene in, S6:1130–1131
  by metals, 630–632
  particulate, 838–850
    bacterial mutagenicity of, 428–436
    and daily mortality, 414–420
    effects on children, 492–499, 500–505, 506–514
    EPA recommendations, 1024
    and respiratory disease in Alaska, 290–297
  regulatory issues, S5:857–860
    resolution by American Medical Association, 598
air quality
  in Mexico City, 162
  standards, 838
  studies at Massachusetts Institute of Technology, 143
alachlor, cancer and mortality among workers exposed to, 728–733
Alaska, air pollution and respiratory disease in, 290–297
albumin, 546
  phenylcysteine in, S6:1147–1149
alcohol consumption
  aldehyde dehydrogenase and chromosome alterations, 1336–1338, S3:563–566
aldehyde dehydrogenase, 1336, S3:563–566
aldehyde metabolites, of benzene, S6:1195–1199
algal blooms, 384
allergies, 211–212, 1062–1068
  to latex, 916
  link to asthma, 23
alligators, reproductive abnormalities in, 1318
allometric scaling, S1:25–26
alternative testing. *See* animal testing, alternatives to
Alzheimer's disease, 822
American Dental Association, position on dental sealants, 374
American Industrial Health Council, 1041
American Medical Association
  position on herbal medicine, 926
  resolution on air pollution, 598
Ames, Bruce, 1276
Ames test, 40–46
$\alpha_2\mu$-microglobulin nephropathy, 1264–1267, S1:125–127
amines, reactions of muconaldehyde with, S6:1205–1206
δ-aminolevulinic acid dehydratase, marker of lead susceptibility, S1:143
Ana platyrhynchos. *See* mallard ducks
androgenic steroids, role in mammary carcinogenesis, 957
aneuploidy
  and benzene exposure, S6:1222, S6:1327
  detection in human spermatozoa, S3:629–631
animal growth hormones, 704
animal models, 612
  of neurobehavioral toxicity, S2:175
  prediction of human pharamacokinetic parameters from, S1:25–36
animal testing, alternatives to, 250–251, 612–614, 878–880, 1030
anovulation, identification of, 408–413
antibiotics, resistance to, 697–698
antiestrogenicity, of trichloroethylene combustion products, 737–738
antifungal drugs, 390
antimalarial drugs, 252–253
antimutator bacterial strains, 19
antiparasitic drugs, genotoxicity of, S3:600
Apc gene mutations, S3:497–500
apoptosis, modulation by benzene, S6:1177–1182
aquaculture, 155
aquatic toxicology, 186–189, 936
arachidonic acid, role in production of superoxide anion, 53–58
Arapidopsis, use to absorb mercury, 827
archea, DNA polymerases from, 820–821
architectural design, 1032, 1036
Argentina, water pollution in Reconquista River, 186–189
aromatic hydrocarbons, and multiple myeloma, S6:1395
arsenic
  and bladder cancer, 1277
  cancer risk assessment, 1012–1013, 1014–1016
  dietary exposure to, 205
  in drinking water, 620–628, 1200–1207
artemsinin, 252–253
arteriosclerotic plaque, and tobacco smoke, 1108–1113
aryl hydrocarbon receptor, binding of halogenated aromatics, 1302–1309
asbestos, study of lung cancer using banked tissues, 608
asbestosis, 700
Asia-Pacific Environment Network website, 1273
asthma, 22–25, 1028–1029, S5:923–924
  among Alaskans, 292
  education programs, 464–466
  and ozone, 1354–1360
atherosclerosis, due to environmental tobacco smoke, 1155
atomic bomb
  monitoring radiation by somatic mutation, S3:493–495
  survivors, S3:643–647
    genetic analysis of children of, S3:511–517
Australia, environmental health meeting, 137–138
autoimmunity, 211
  effects of prenatal hormonal environment on, S4:815–820

B

Bacillus thuringiensis, 703, 704
bacteria
  in indoor air, 1034
  methanogenic, 826
  productivity-enhancing, 704
bacteriophage ΦX174, 935
Bahrain, environmental protection in, 1272–1273
Balakrishnan, Lalita, 1027
basal cell carcinoma, gene for, 1026
basal cell nevus syndrome, 1026
base excision repair, 18
battery recycling industry, and exposure to lead, 314–317
Baye's theorem, S5:1047–1048
Bayley Scale of Mental Development, 180
BEC2 antibody, in lung cancer treatment, 1147–1148
behavior. *See also* neurobehavior
  as an index of toxicity, S2:173–174, S2:193–201, S2:307–313, S2:391–395
  and chlorinated hydrocarbons, S2:353–357
  disrupted patterns in natural populations, S2:331–334
  effects of lead on, 601, S2:337–348
behavioral teratology, S2:285–287
benchmark dose, use in risk assessment, S1:108–111, S2:220
benzene, S3:609–613, S6:1123–1128, S6:1129–1136, S6:1137–1140
  biomarkers of exposure to, S6:1141–1146, S6:1147–1149, S6:1151–1157
  bone marrow toxicity, S6:1177–1182, S6:1247–1250, S6:1257–1264, S6:1293–1301
  carcinogenicity, S6:1289–1292, S6:1339–1341
  and cytochrome P450, S6:1211–1218

DNA adducts, S6:1159–1163, S6:1189–1193, S6:1337–1338
hematotoxicity, S6:1275–1276, S6:1277–1282, S6:1283–1287
induction of chromosome aberrations, S6:1309–1312, S6:1313–1317
leukemia induced by, S6:1219–1225, S6:1353–1364, S6:1381–1392, S6:1431–1436, S6:1437–1441
metabolism, S6:1165–1171, S6:1173–1175, S6:1183–1188
metabolites, S6:1195–1199. *See also names of specific metabolites*
activation and detoxification in bone marrow, S6:1177–1182
inhibition of topoisomerase, S6:1319–1323
occupational exposures, S3:529–533, S6:1325–1329, S6:1349–1352, S6:1365–1370, S6:1371–1374, S6:1375–1379
physiologically based pharmacokinetic modeling of, S6:1399–1404, S6:1413–1429
relation to blood lead, 318–323
validation of exposure, S6:1343–1347
benzoquinone, S6:1168, S6:1211
effect on cytokines, S6:1251–1256
inhibition of topoisomerase, S6:1265–1269, S6:1320
beryllium, S5:945–946, S5:949–951
animal models of lung disease induced by, S5:973–978
blood lymphocyte proliferation test, S5:953–956
conference on diseases caused by, S5:935–936
genetic screening for susceptibility to, S5:989–990, S5:991–993
medical surveillance after exposure, S5:981–986
sensitization, S5:937–943
betulinic acid, use as cancer treatment, 139
Biennial Report on Carcinogens, 824
Big Blue mouse, use in carcinogenicity testing, S3:683–686
bioaerosols, in indoor air, 1034
biodegradation, of rubber, 1163–1164
biodiversity, 582, 1142
loss of, 384, 386–388
and transgenics, 706–707
biologically based mechanistic models, 806
biological monitoring, S3:479–483, S3:521–524, S3:535–538, S5:953–956
of atomic bomb radiation, S3:493–495
of 1,3-butadiene, S5:907–912
in occupational settings, 78–82, S3:539–540, S3:543–545, S3:609–613
for polycyclic aromatic hydrocarbons, 530–534, S5:904–905
scientific and ethical aspects of, S3:659–661
using banked tissues, 606–607
biomarkers, S1:56–57, S3:423–427, S3:441–443, S3:480–481,S3:503–508, S3:591–596, S3:603–605, S5:851–854, S5:921–924. *See also* DNA adducts; protein adducts
of 1,3-butadiene, S5:908–911
of chromate, S5:917–919
CYP1A1 gene induction, S3:441–443
of exposure to air pollution, S4:704–705
HPRT mutations, S3:442–443
of ionizing radiation, S3:675–678
in neurotoxicology, S1:55–62
of occupational exposures, S3:609–613, S3:687–690
of oxidative damage to DNA, S3:465–468
of Parkinson's disease, 653–654
of polycyclic aromatic hydrocarbons, S5:901–905, S5:927–930
research needs, S3:459–463, S3:527, S5:895–899
in risk assessment, S1:57–58, S5:858–860
of susceptibility to lead exposure, S1:143–144
of volatile organic compounds, S5:861–867
in wild birds, S4:834–840
biopesticides, 704
bioremediation, website for, 251
Biosphere 2, 372–373
biotransformation reactions, of chlorofluorocarbon replacements, S1:77–79
birds
biomarkers in, S4:834–840
effects of contaminants on behavior, S2:331–334, S4:829–840
birth defects. *See also* birth parameters
among children of pesticide applicators, 394–399
Birth Defects Prevention Act, 1146
birth parameters. *See also* birth defects
and drinking water disinfection, 516–520, 1056–1061
bisphenol-A, in dental materials, 298–305, 373–374
bladder cancer
and arsenic, 1277
and polycyclic aromatic hydrocarbons, 1166–1170
tobacco smoking and *p53* mutations, S3:553–555
blood. *See also* under lead
benzene metabolites in, S6:1174–1175
collection, 608
concentrations of benzene in, S6:1141
measurement of volatile organic compounds in, S5:871–876
toxicity of rare earths in, S1:91
blood beryllium lymphocyte proliferation test, S5:953–956, S5:957–968, S5:981–986
blood pressure, as risk factor for kidney cancer, 644, 645
Bohemia, biomarker studies, S3:591–596
bombs, unexploded, 1280
bone
lead levels in, 1076–1082
lead mobilized from, S1:144
bone marrow. *See also* stromal cells
benzene metabolites in, S6:1174–1175, S6:1177–1182, S6:1271–1274
benzene toxicity, S6:1183, S6:1190–1191, S6:1247–1250, S6:1277–1282
chemoprotection of, S6:1230–1231, S6:1252–1253
modeling damage to, S6:1293–1301
bootstrap resampling, 858
Boston University Environmental Neurology Assessment, S2:233–236
bovine spongiform encephalopathy, 697
BRCA1 gene, 607, 686–687
breast cancer, 912–914, 938–967. *See also* breast epithelial cells
and DDT exposure, 587
and electric power, S1:135–138
free radicals and, 821, 1140
p53 mutations, 1324–1331
treatment approaches, 686–687
breast development, 958
breast epithelial cells
effect of chemical pollutants on, 192–200
transformation of, 959–960
breath
concentrations of benzene in, S6:1141
volatile organic compounds in, S5:861–867
breathalyzer device, 1292
brickmaking, air pollution from, 470–472
brick tea, and fluorosis, 1340–1343
4-bromophenacyl bromide, as an inhibitor of phospholipase A_2, 54–58
bronchitis, among children exposed to acid aerosols, 502,503
bronchoalveolar lavage, to assess cytokine production in chronic beryllium disease, S5:969–970
brownfields. *See* urbanization
Buenos Aires, water pollution in Reconquista River, 186–189
Bufo arenarum, 186
building industry, 1036
materials used by, 1032, 1033, 1038
building science, information on World Wide Web, 1025
Bulgaria, hazardous wastes in, 245
1,3-butadiene
biological monitoring of, S3:655–657, S5:907–912
chromosome aberrations, S3:580–582
byssinosis, in Thailand, 1289

C

cadmium
dietary exposure to, 205
in lung tissue, 631
reproductive toxicity of, 68–76
calcium, effect on blood lead levels, 1071, 1079
calcium flux, 1104–1105
California, banning of pesticides in, 1146
calpain, effect of benzoquinone on, S6:1251–1256
Canada
leukemia among petroleum distribution workers, S6:1375–1379
ozone and asthma, 1354–1360
cancer. *See also specific types of cancer*
among males, S4:747
from arsenic exposure, 1012–1013
association with dietary phytoestrogens, 479
benzene-induced in China, S6:1339–1341
beryllium-induced, S5:975–977
and diet, S3:429–432
effect of phytoestrogens on cells, 480
identifying causes, S3:639–641
prevention, S3:487–488, S3:633
radiation-induced, 353–354, S3:495
rates among alachlor workers, 728–733
registration of cases, S3:639–641
risk assessment, 84–87, S3:435–438, S3:503–508
and smoking, S3:453
spontaneous, S3:633–637

susceptibility, S3:527–528, S3:547–550, S3:569–574, S3:579–582
treatment, 391
betulinic acid, 139–140
development of myeloid leukemia after, S6:1303–1307
Cancer magister (Dungeness crab). *See* crabs
carbon cycles, 13
carbon dioxide, liquid, use in dry cleaning, 488–490
carbon disulfide, neurotoxicity of, S1:61
carbon monoxide
correlation with benzene, S6:1138–1139
link to heart failure, 138–139
and respiratory disease in Alaska, 292, 293
carboxylesterases, hydrolysis of drugs by, S1:31–33
carcinogenesis
effects of pesticides on, S1:98–99
fish as models, S1:5–16
nongenotoxic mechanisms of, S1:123–131
carcinogenicity
cytogenetic methods for detecting, S3:445–447
of food mutagens, S3:429–432
prediction
from chemical structures, S5:1051–1057
computer-automated, S5:1001–1016, S5:1045–1049
by multicomponent criteria, S5:1105–1111
from rodent assays, S5:1017–1029, S5:1041–1043, S5:1059–1062, S5:1065–1072, S5:1101–1104
3-poly test for, 872–877
using the Syrian hamster embryo cell transformation assay, S5:1075–1083
Carcinogenic Potency Database, 1276
carcinogens, S3:449–451, S3:683–686
identification of, S5:1095–1100
and *Salmonella* genotoxicants, 40–46
setting priorities for testing, 85
in tobacco smoke, S3:453–456
Caribbean, lead poisoning in, 10
Carnegie Commission on Science, Technology and Government, 356
β-carotene, S3:430
carp, reproductive toxicity, 1096–1101
carpet glue, 1033
catechol, S6:1235
catecholamines, role in Parkinson's disease, 254
cell membrane transport, 474–475
cell proliferation, 41–42, S1:128
cement board, 1039
central nervous system. *See* nervous system
charcoal, respiratory effects of smoke from, 982
chelation therapy, 968–972
chemical exposure, quantitation of, S1:24–25
chemical hazards, 13–14, 325
chemically related illnesses, research center for, 14
Chemical Manufacturers Association, 1138–1139
chemical reactivity, use to assess risk, 810–811
chemical weapons, disposal of, 1274–1275
chemistry, computational. *See* computational chemistry
chemoprotection, against benzene hematotoxicity, S6:1227–1234
Chernobyl nuclear plant, 601
chicken hepatocyte bioassay, S4:832–833
children
asthma education for, 464–466
environmental health, 146–149, 210
of disadvantaged, 462–463
exposure to environmental tobacco smoke, 1155–1156
exposure to polybrominated biphenyls, 1267–1268
exposure to polycyclic aromatic hydrocarbons, 530–534
genetic analysis of atomic bomb survivors, S3:511–517
lead exposure, 1024, 1208–1211
behavioral effects of, S2:338–343
blood levels, 180–185, 318–323, 968–972
as a neurotoxicant, S2:206
tooth analyses of levels, 306–312
malnutrition among Vietnamese, 1282–1283
radiation-induced cancer, 353–354
respiratory effects of air pollution on, 170–174, 492–499, 500–505, 506–514, S4:705–710
Chile, arsenic in drinking water, 620–628, 1200–1207
China
benzene exposure in, S6:1339–1341, S6:1349–1352, S6:1365–1370
fluorosis among Tibetans, 1340–1343
chloracne, 1281
chlordecone, neurotoxic effects of, S2:355
chloreneb, banning in California, 1146
chlorinated hydrocarbons, behavioral toxicology and risk assessment, S2:353–357
chlorination, of drinking water, 516, 1046–1047
and birth parameters, 516–520
health effects of by-products, 1056–1061
chloroethylenes, effects of, S2:354–355
chlorofluorocarbons
conversion to benign compounds, 468–469
illegal import, 1272
replacements, 1272, S1:75–81
role in destruction of ozone layer, 140
toxicology of, S1:76–77
chloroform, exposure via drinking water, 48–51
chlorophenoxy herbicides, 394
chloroquine, 697
chlorpyrifos, dietary exposure to, 205
cholinesterase inhibitors, effects on birds, S2:333–334
choroid plexus, 605
chromate, biomarkers of exposure to, S5:917–919
chromium, effect on blood levels of selenium, 1312–1316
chromosome aberrations, S3:591–596, S3:609–613. *See also* chromosome translocations
alcohol drinking and aldehyde dehydrogenase, S3:563–566
benzene-induced, S6:1309–1312, S6:1313–1317, S6:1319–1323, S6:1325–1329
as biomarkers, S3:507–508, S3:579–582
after exposure to pesticides, S3:535–538
detection by fluorescence *in situ* hybridization, S3:475–477, S3:489–492
induction of, S3:445–447
in mycloid leukemia, S6:1304
chromosome painting. *See* fluorescence *in situ* hybridization
chromosome translocations
by benzene, S6:1221–1222
role in myeloid leukemia, S6:1305
chronic beryllium disease
and cytokine production, S5:969–970
diagnosis of, S5:945–946, S5:981–986
identification by the blood beryllium lymphocyte proliferation test, S5:957–958, S5:953–956
natural history, S5:937–943
^{14}C labeling, of benzene, S6:1124
clams, domoic acid in, 1230–1236
Clean Air Act, 685, 1040, 1159, S5:857–860
oxygenated fuels requirement, 687
standards for benzene, S6:1131
Clean Air Scientific Advisory Committee, 1024
Clean Oceans '96, 385
Clean Water Act, 385, 600
climate change, 383, 1148
clioquinol, S2:354
cloning, 616–618
coal burning
as a source of air pollution, S4:699–713
respiratory effects of smoke from, 982
cobalt, in lung tissue, 631
cockroaches, link to asthma, 24
cognitive development, effect of lead on, 180–185
cokery workers, exposure to polycyclic aromatic hydrocarbons, S3:539–540
colchicine, effect on thioacetamide-induced liver injury, 744–749
Colombia, exposure to pesticides in, S3:535–538
colon, effects of heterocyclic amines, S3:497–500
colon cancer, S3:497–500
colorectal cancer, 18, 607, 1324–1331, S3:500, S3:530
comet assay, S3:467–468, S3:544–545
Commission on Risk Assessment and Risk Management, 1040
Committee on Environment and Natural Resources, 469
Community Right-to-Know Act, 13, 1138, 1159
competitive binding assay, 1297, 1299
composites, estrogenicity of dental, 298–305, 808
computational chemistry, S1:69–73
computer-assisted analysis, of sperm motility, 1212–1216
computer-automated structure evaluation, S5:1045–1049
computer technology, and health, 701–702
coneflower, purple, 925
connexin 43 proteins, 196–198
consent, as an issue in specimen collection, 609

conservation of resources, 1036
contact sensitization, 1062–1068
contaminants, environmental. *See also names of specific contaminants*
  effects on immunity in harbor seals, S4:823–827
  effects on behavior, S2:331–333
control variables, in neurotoxicity studies, S2:276–278
cooking, and presence of heterocyclic amines, 280–288, 596–597, S3:497–500
cooking fuels, health effects of, 980–985
copper
  in lung tissue, 631
  role in Parkinson's disease, 253
corticosteroids, effect on inflammation and tumor induction, 1062–1068
Costa Rica, 582
cost-benefit analysis, 1043
cotinine
  in blood of nonsmokers, 1155
  use to assess benzene exposure, 318–323
cotton dust, 28
coulomb forces, S1:69–70
coumestrol, 479, 481
covalent binding, and benzene toxicity, S6:1167–1168
crabs
  alteration of P450 activity by pollutants, 774–778
  domoic acid in, 1230–1236
creosote, banning in California, 1146
CREST staining, S3:445–447
Creutzfeldt–Jakob disease, 697
criteria maximum concentration, 186
Crutzen, Paul, 1027
cryptorchidism
  and exposure to pesticides, 1090–1095
  incidence of, S4:743–745
Cryptosporidium, 696, 1047
  eliminating from drinking water, 834–836
cyclin-dependent kinase, use to evaluate benzene and toluene carcinogenicity, S6:1289–1292
cyclobutane pyrimidine dimers, S3:547–550
cyclooxygenase, 599, 692
CYP1A1 gene, association with carcinogen metabolism, S3:571–573
Cyprinus carpio. *See* carp
cytochrome P450, S1:28–29, S1:97–104
  alteration of activity in crabs, 774–778
  assessment of activity in rat liver, 536–543
  and benzene metabolism, S6:1211–1218
  effects of dioxin on, S1:129
  induction by polychlorinated biphenyl mixtures, 712
  in metabolism of aflatoxin B_1, S3:557–561
  in rainbow trout, S1:8
cytokines
  effect of benzoquinone on, S6:1251–1256
  inflammatory response, 822
  knockout mice, 469–470
  levels among benzene-exposed workers, S6:1367
  production in chronic beryllium disease, S5:969–970
cytotoxicity
  of benzene, S6:1420–1423
  in parasitic infections, S3:599–601
Czech Republic, hazardous wastes, 245

D

dacarbazine, 139
daidzein, 479, 481
Dansgaard, Willi, 1148
D&C Yellow No. 11, carcinogenicity of, 377–378
DDE
  dietary exposure to, 205
  metabolites in human milk, 766–773
DDT
  effect on intercellular communication, 196
  estrogenicity of, 544–548, 1299
  in the Great Lakes, 252
  in human milk, 1283
  neurotoxicity of, S2:355
  use in Mexico, 584–588
decalin, 1265
DEET, 820
defoliation, 1282
deforestation, in Thailand, 1287
Delaney Clause, 352, 1040, 1271
dentistry
  estrogenicity of composites and sealants, 298–305, 808
  mercury in composites, 831
Department of Defense, 1045
Department of Energy, 1045
DEREK, S5:1065–1072
desertification, 260
detoxication, S1:23–36
developing countries
  environmental toxicants in, S3:599–601
  health effects of smoke from cooking fuels, 980–985
  lead poisoning in, 10
  toxicology, 324–325
development
  behavioral changes in toxicology, S2:307–313
  effects of pesticides on, S1:99
  effects of polychlorinated biphenyl exposure, S2:208–209
  exposure to immunotoxicants, S4:809–812
  exposure to lead, S2:338–343
  neurotoxicity
    assessment of, S2:188–189, S2:275–281, S2:285–295, S2:407–411
    of methylmercury, S2:369–370, S2:376–377
  postnatal sensory and motor, S2:287–289
DHFR gene, S3:548–550
diaminotoluene, S3:683–686
diazepam, effects on performance tests, S2:248–248
diazinon, dietary exposure to, 205
dieldrin
  dietary exposure to, 205
  effect on intercellular communication, 196
  neurotoxicity of, S2:356
diesel exhaust, and multiple myeloma, S6:1396
diet. *See also* food; nutrition
  arsenic exposure via, 1012, 1014–1015
  and cancer, 1277, S3:429–432
  exposure to metals and pesticides via, 202–209
  exposure to methylmercury via, 827
  and lead levels in postpartum women, 1076–1082
  malnutrition, 1282–1283
  phytoestrogens in, 478–482
  supplements to, 925
Dietary Supplement Health and Education Act, 925
diethylstilbestrol
  effects on prenatally exposed males, S4:753–754
  as an endocrine disruptor, S4:718–720
dimethyl methylphosphonate, 1265
2,4-dinitro-1-fluorobenzene, tumor induction by, 1062–1068
dinoflagellates
  effect of global warming on, 695
  effect on marine organisms, 384
dioxin
  carcinogenicity of, S1:128–130
  effects on fetal thymus and liver, S4:811–812
  in the Great Lakes, 252
  health effects in Vietnam, 1281–1282
  synergy with hexachlorobiphenyl, 550–557
  T-cell helper function in workers exposed to, 422–426
disease-resistant crops, 704
disease surveillance, 699
DNA
  damage, 691, S3:465–468
  effect of chromate exposure, S5:917–919
  modulation of binding, S3:679–681
  repair, 18–19, 1029, S3:547–550
    deficiency, S3:529–533, S3:579–582
  replication fidelity, 20
  strand breaks, 19, 160–168, S3:467–468
DNA adducts, S3:471–472, S3:591–596
  after benzene exposure, S6:1159–1163, S6:1189–1193, S6:1201–1209, S6:1221, S6:1337–1338
  as biomarkers, S3:453–456, S3:459–460, S3:497–500
  in foundry workers, S3:687–690
  in human nasal mucosa, S3:471–472
  induced by 1,3-butadiene, S3:655–657
  measurements in humans, S5:883–888
  in rainbow trout, S1:12
  role in chemical carcinogenesis, S3:570–571
DNA polymerases, from archea, 820–821
Dobris Assessment, 32–34

dominant lethal assay, S3:619–620
domoic acid, levels in crabs and clams, 1230–1236
dose–response relationships
  analysis of, S1:107–108, S2:391–395
  for chemical effects, 86–87
Down's syndrome, S3:580–581
  effect of toxic agents on, S3:615–617
Doxil, 391
drinking water
  arsenic in, 620–628, 1012, 1015–1016, 1200–1207
  Cryptosporidium in, 696, 834–836
  disinfection by ultraviolet light, 1046–1048
  elimination of nitrate in, 36–38
  health effects of disinfection by-products, 48–51, 516–520, 1056–1061
  nitrate contamination of, 522–528
dry cleaning, replacement of perchloroethylene in, 488–490
dust mites, 1034
  link to asthma, 24
dusts. *See also* agriculture, exposure to
  organic
    dust toxic syndrome, 27, S1:41–49
    exposure to, S1:41–49
    and respiratory disease, 26
  polychlorinated terphenyls in indoor, 1172–1179

E

ear infections, and environmental tobacco smoke, 1156
early-life stage toxicity test, 187
economic analysis, use in regulatory decision making, 1043
ecotoxicology, S2:299–304, S2:331–334
education, 151–153, 324, 464–466, 906
EHPnet
  Asia-Pacific Environment Network website, 1273
  bioremediation website, 251
  Food and Drug Administration website, 919
  International Centre for Genetic Engineering and Biotechnology website, 687
  Lawrence Berkeley National Laboratory Center for Building Science website, 1025
  National Association of Physicians for the Environment website, 599
  National Center for Human Genome Research website, 471
  National Institute of Environmental Health Sciences website, 15
  Nicotine and Tobacco Network website, 1149
  Seafood Network Information Center website, 821
  stratospheric ozone website, 141
  World Health Organization website, 373
elderly, care for, 155
electromagnetic fields. *See also* magnetic fields
  effects on melatonin, S1:136
  hazards to children, 149
  policy concerning, 908–911
  report on health effects of, 14–15
electron spin resonance, S6:1212–1213
embryo toxicity, of trichloroethylene combustion products, 737–738
Emergency Planning and Community Right-to-Know Act, 13
EMFs. *See* electromagnetic fields
emphysema, surgery for, 1146–1147
endocrine disruptors, 132–133, 1028, S4:718–720, S4:725–727
  and cryptorchidism, 1090–1095
  effects in carp, 1096–1101
  hazards to children, 148
  from landfills, 712
  research needs, S4:715–735
  strategy on, 917–918
endogenous signals, 1020–1023
endosulfan, estrogenicity of, 1299
endotoxin, 28–29, S1:47–48
energy use, 1036
Enterococci, resistance to antibiotics, 697
EnviroHealth clearinghouse, 21
environmental degradation, 272
Environmental Health Summit, 210–213
environmental justice, 462, 464
environmental medicine, history and status, 150–153
environmental policy, 356–361
  public opinion about, 370–371
environmental protection, in Thailand, 1290
Environmental Protection Agency
  goals of, 832–833
  guidelines for classification of mutagens and carcinogens, S3:664–665
Environmental Quality Incentive Program, 600
environmental signals, 1020–1023
environmental tobacco smoke, 132, 1152–1157
  and asthma, 23
  benzene in, 323, S6:1137, 1142
Enzymatic Nitrate Elimination Technology, 37
enzyme bioactivation, 690–691
ephedra, 925
epidemiology, 256, 923, S3:479–483
  of accidental radiation exposures, S3:643–647
  of benzene-exposed workers in China, S6:1365–1370
  of cancer, 1:137, S3:639–641
  neurobehavioral, S2:397–400
epidermal growth factor, 1022
epigenetic events, role in benzene-induced leukemia, S6:1222
epoxide hydrolase, in metabolism of aflatoxin B_1, S3:557–561
Eriocheir japonicus. *See* crabs
Escherichia coli, 696–697
E-screen bioassay, 299
estrogen. *See also* xenoestrogens
  receptor, 1020, 1085, 1296, 1318–1322, S4:752
    b, 1272–1273
ethanol, health effects of, 687–689, S2:293–294
ethics
  of biological monitoring, S3:659–661
  issues in genetic screening, S5:987–990
ethogram, S2:301
ethology, and experimental approaches to behavior analysis, S2:299–304
ethylnitrosourea, S3:521–524
Europe. *See also names of countries*
  environmental report on, 32–34
  hazardous wastes, 244–247
European Centre for the Validation of Alternative Methods, 612, 613, 614, 878
excretion. *See also* urine
  of benzene, S6:1173–1174
  of D-glucaric acid, 80
  of xenobiotics, 604–605
exotic species, effects of introduction, 1142–1145
exposure assessment, S6:1343–1347
  of endocrine disruptors, S4:731–733
  use of protein adducts, S5:879–880
exposure standards, setting, S2:401–404
Exposure-to-Risk Monitor, 1292
extrapolation. *See also* interspecies extrapolation
  low dose, 86–87
extrathoracic granuloma, after beryllium exposure, S5:950–951
eye irritation, 1033

F

farmers. *See* agriculture
farmer's lung disease, 27
Faroe Islands, study of methylmercury exposure, 829
Federal Insecticide, Fungicide and Rodenticide Act, 1271
ferric nitrilotriacetate, S3:651–652
  repair activity in the rat kidney, S3:651–652
fibers
  health effects of, 700–701
  in indoor air, 1035
firing ranges, lead exposure at, 16–17
fish
  effects of endocrine disruptors, 1096–1101
  effects of mercury on, 1102–1106
  liver neoplasia in, 1218–1229
  rainbow trout, S1:5–16
fisheries, 381
  in Thailand, 1287–1288
fishing
  commercial, 380, 381–382
  in Vietnam, 1282
flavin-containing monooxygenase, S1:29–30, S1:97–104
flounder, liver neoplasia in, 1218–1229
fluorescence confocal laser cytometry, 537
fluorescence *in situ* hybridization, S6:1325, S3:445–447, S3:475–477, S3:489–492
  to detect aneuploidy in human spermatozoa, S3:629–631
fluorescence redistribution after photobleaching, 194
fluorosis, and brick tea drinking, 1340–1343
food. *See also* cooking; diet
  benzene in, S6:1133

carcinogens and mutagens in, S3:429–432
delivery of vaccines via, 276–278
heterocyclic amines in cooked, 280–288, 596–597, S3:497–500
pesticides on, 685, 1271
Food and Drug Administration
standards for mercury in foods, 827–828
website, 919
Food Quality Protection Act, 1040, 1271
Formerly Utilized Sites Remedial Action Program, 1344
foundries, DNA adducts formed by air particulates in, S3:687–690
Fourth World Conference on Women, 272
Fox Scale, testing in mice, S2:288–289
fragile histidine triad gene, 818–819
Fraumeni, Joseph F., 918, 919
free radicals, 1148–1149
breast cancer and, 1140
freon, 1272
fruit flies, use of phototoxic dyes against, 156–158
fungi
in airborne dust, 1289
in indoor air, 1034
fuzzy adaptive least-squares method, S5:1051–1057

G

gabapentin, 1265
gap junctional intercellular communication, inhibition of, 192–200
Garanti Bank, 1027
garlic, 927
gasoline
as a groundwater contaminant, S6:1132
health effects of additives, 687–689
and multiple myeloma, S6:1395
phasing out leaded, 10
Gaucher cell lines, S3:529–533
GBR 12909, effects on behavior of monkeys, S2:393–394
genes
cloning, 616–618
reaction with environment, 256–257
Genetic Activity Profile Database, S3:585–589
genetic instability, 923
genetic risk
estimates, S3:619–622
evaluation of, S3:503–508
genetic screening, medical and ethical issues, S5:987–990, S5:991–997
genetic susceptibility, 256–257, S3:481–482, S3:569–574
genetic toxicology, use of data in U.S. EPA risk assessment, S3:663–671
genistein, 479, 481
genotoxicants. *See also* mutagens
biological monitoring of, S3:543–545
macromolecular adducts as biomarkers of, S3:423–427
transplacental tranfer of, S3:625–627
geographical analysis, of lung cancer in Italy, 750–754
germ cells, future research directions, S3:619–622
gestational trophoblastic disease, 1281
Giardia, in drinking water, 1047
Gibbs sampling, S6:1405
ginger, 926
gingko, 924, 926
gliosis, reactive, 822
Global Monitoring and Disease Prediction Program, 699
Global 500 Roll of Honor, 1027
global warming, 12–13, 694–695, 724–727
D-glucaric acid, urinary excretion by metal workers, 80
glutathione peroxidase, activity in tannery workers, 1312–1316
glutathione *S*-transferase, 257, 607, S6:1169
association with carcinogen metabolism, S3:572
as a biomarker of exposure to air pollution, S4:705
in metabolism of aflatoxin B_1, S3:557–561
glutathione *S*-transferase M1 gene, S3:442–443, S3:449–451, S3:591–596, S3:625–627
glycoaldehyde, generation by respiratory epithelium, 852–856
glycophorin A gene, S3:493–495
Gorlin's disease, 1026
government–industry collaboration, 1158–1160
granulocyte–macrophage colony-forming cells
effect of benzene on, S6:1249, S6:1257–1264, S6:1271–1274
granulomatous lung disease, beryllium-induced, S5:974–975
Great Lakes
organochlorines in, S4:829–840
thyroid deficiencies of organisms in, 1267–1268
water quality, 252
Greenpeace, apology to Royal Dutch Shell, 138
grilling. *See* cooking
groundwater contamination
by gasoline, S6:1132
by trichloroethylene, 866–870
growth factors
effects of dioxin on, S1:129
role in mammary carcinogenesis, 955
guinea pigs, as models for organic dust exposure, S1:41–49

H

habitat loss, for marine organisms, 383–384
halogenated aromatic hydrocarbons, immunosuppression by, 422–426
handguns, 155
Hans Falk Memorial Lecture, 145
hantavirus pulmonary syndrome, 695
harbor seals (*Phoca vitulina*), impaired immunity after exposure to contaminants, S4:823–827
Harvard School of Public Health, 922
hazardous wastes
associated with the U.S.–Mexico border, 590
in Europe, 244–247
hazards to children, 148
heart disease, and smoking, 1108
heart failure, link to carbon monoxide, 138–139
heating, ventilation, and air conditioning systems, 1032, 1037
heavy metals. *See* metals; *names of specific metals*
hematopoiesis
alterations of fetal, S4:809–812
regulation of, S6:1239–1240
hematotoxicity, of benzene, S6:1195–1199, S6:1275–1276, S6:1353–1364
chemoprotection against, S6:1227–1234
hemin, S6:1279–1280
hemoglobin adducts, as biomarkers of 1,3-butadiene, S5:909–910
hepatic porphyrin, effect of dioxin and hexachlorobiphenyl, 557
hepatitis B virus, vaccine, 277
hepatotoxicity. *See* liver, injury
heptachlor epoxide, dietary exposure to, 205
herbal medicine, 924–928
herbicides
crops resistant to, 704
neurotoxicity of, S2:356–357
hereditary nonpolyposis colorectal cancer, 18, 607, S3:500, S3:530
heroin abuse, 1290
herring gulls
effects of contaminants on, S2:331–332, S4:829–840
heterocyclic amines, 280–288, 596–597, S3:430, S3:497–500,
hexachlorobenzene, 1266
hexachlorobiphenyl, synergy with dioxin, 550–557
hexachlorophene, effects of, S2:355
hexane
and chromosome aberrations, S6:1314
neurotoxicity of, S1:60–61
historical exposures, reconstruction of, S6:1343–1347
Hodgkin's disease, 1281
among agricultural workers, 362
homovanillic acid, in Parkinson's disease, 653
hormone-disrupting chemicals. *See* endocrine disruptors
hormones
effects of altered prenatal, S4:815–820
role in mammary carcinogenesis, 954–957
hospital wastes. *See* medical wastes
host cell reaction assay, S3:530
Hox genes, S1:115–117
hprt, S3:442–443
mutations, S3:521–524, S3:675–678
variant frequency, 522–528
human immunodeficiency virus, 697. *See also* AIDS
human milk. *See also* lactation
DDT in, 584–588, 1283
metabolites of polychlorinated biphenyls and DDE in, 766–773
Hungary, hazardous wastes in, 245
hydrochlorofluorocarbons, 1272
hydroquinone, S6:1168, S6:1180, S6:1183, S6:1189, S6:1211, S6:1227, S6:1248
effect on granulocytic differentiation, S6:1257–1264, S6:1271–1274
inhibition of topoisomerase, S6:1265–1269
interaction with indomethacin, S6:1254–1255
2-hydroxyethylating carcinogens, monitoring human exposure, S3:449–451
hydroxyl radical, role in breast cancer, 821

1-hydroxypyrene, S3:539–540
as an indicator of pyrene exposure, 352–353
use to assess exposure to polycyclic aromatic hydrocarbons, 530–534
6-hydroxy-*trans,trans*-2,4-hexadienal, as a metabolite of benzene, S6:1197–1198
hyperdiploidy, and benzene exposure, S6:1327
hyperphosphorylation, S6:1290
hyperplasia, regenerative, induced by cytotoxic agents, S1:124–127
hypersensitivity, 211–212. *See also* allergies
hypospadias, incidence of, S4:745–747
hypothalamus–anterior pituitary system, and mammary gland neoplasia, 944–945

I

immune system
autoimmune disease, S4:815–820
effects of immunotoxicants, 211–212, S3:679–681, S4:809–812, S4:823–827, S4:829–840
effects of occupational exposure to dioxin, 422–426
incineration, 244
India, health and environment in, 266–271
indomethacin, interaction with hydroquinone, S6:1254–1255
indoor air. *See* air pollution, indoor
inductive logic programming, S5:1031–1039
infectious diseases, 694–699
infertility
and anovulation, 408–413
environmental factors, 136–137
inhalation exposure
to 1,3-butadiene, S3:655–657
quantifying, 974–979
insect-resistant crops, 704
Institute of Medicine, 150, 152
insulin, role in mammary carcinogenesis, 956–957
integrated pest management, 265
Interagency Coordinating Committee on the Validation of Alternative Methods, 250–251, 612, 613, 614
intercellular communication, effect of chemical pollutants on, 192–200
interferon-γ, effect on stromal cells, S6:1284
interleukins, 469, S6:1251–1256
International Agency for Research on Cancer, position on tamoxifen, 688
International Centre for Genetic Engineering and Biotechnology website, 687
International Society of Indoor Air Quality, 1032
interspecies extrapolation, 87, 400–407, 912–914, 1043
for benzene, S6:1173–1175
intervention approaches in public health, S5:922
IQ scores, effect of lead exposure on, 1050
Iraq, methylmercury poisoning, 828, S2:207, S2:370–371, S2:398
iron, effect on blood lead levels, 180–185, 971, 1071
iron foundry workers, DNA adducts in, S3:687–690
Irving J. Selikoff Award for Cancer Research, 918–919
isoeicosanoids, 1149
isoflavones, 478
Isolyser Corporation, 709
isotope dilution method, lead, 307
Israel, water supply, 261–262
Italy, geographical distribution of benzene in air, S6:1137–1140

J

Johnston Atoll Chemical Agent Disposal System, 1275

K

kampo, 924
Kaposi's sarcoma, use of liposome-based chemotherapy, 391
kepone, estrogenicity of, 1299
kerosene, respiratory effects of smoke from, 982
α-ketoglutarate, 604
kidney
behavior of organic ions in, 604
lead toxicity in, S1:143
repair activity in the rat, S3:651–652
kidney cancer, among petroleum workers, 642–650
Knudson, Alfred G. Jr., 918, 919
Kresge Center for Environmental Health, 922–923
Kunkel, Thomas A., 20

L

lactation, 939, 943. *See also* human milk
and maternal lead levels, 1076–1082
land development, and infectious diseases, 696
landfills
endocrine effects of extracts from, 712–722
EPA rules for, 685–686
in Europe, 244–246
Larus argentatus. *See* herring gulls
laser cytometry, 537
latex
allergens in air, 1180–1186
allergies to, 916
Latin America, lead poisoning in, 10
Lawrence Berkeley National Laboratory Center for Building Science website, 1025
laxatives, carcinogenicity of phenolphthalein in, 250
lead, S1:141–145
behavioral effects of, 601, S2:337–348
blood levels in Mexico City, 1070–1074
blood levels in New Zealand, 1332–1335
in children, 146–147
blood levels, 180–185, 314–317, 1208–1211
and benzene exposure, 318–323
unchelated, 968–972
determining release of skeletal, 60–66
developmental exposure, 1050–1054, S2:338–343, S2:343–347
dietary exposure, 205
effects on birds, S2:333
exposure at firing ranges, 16–17
levels in postpartum women, 1076–1082
in lung tissue, 631
measurement of body burden, 176–179, 306–312, S1:142
neurotoxicity of, S2:205–207
poisoning, 10, 1024–1025
role in Parkinson's disease, 253
lead crystal, 176
lead isotopes, 307
use to determine lead bioavailability, 176–179
use to determine release of skeletal lead, 60–66
lead mobilization test, 181
Lee, Wahn, 1027
legislative guidelines, for hazardous chemicals in developing countries, 325
leishmaniasis, effect of global warming on, 724
leukemia
acute lymphoblastic, S6:1305–1306
acute myelogenous, S6:1240
benzene-induced, S6:1177, S6:1219–1225, S6:1340, S6:1353–1364
mechanism of, S6:1239–1246
myeloid, after cancer therapy, S6:1303–1307
from occupational exposures, S6:1371–1374, S6:1375–1379, S6:1381–1392, S6:1431–1436, S6:1437–1441
leukocytes
DNA adducts in, 1336–1338
effect of mercury on, 1102–1106
Life Span Study, S3:643–647
lifestyle factors, and DNA adducts, 1336–1338
light, effects on melatonin, S1:135–136
lignans, 478
limit of quantification, 203
lindane, 1265
dietary exposure to, 205
neurotoxicity of, S2:356
lipids, and presence of heterocyclic amines in food, 282
lipopolysaccharide
effect on stromal cells, S6:1284
liver injury by, 634–640
liposomes, as drug-delivery devices, 390–392
liquid petroleum gas, respiratory effects of smoke from, 982
liver
distribution of enzymes, S6:1400–1401
effect of rare earths on, S1:90–91
injury
exacerbation by colchicine, 744–749
by lipopolysaccharide and polychlorinated biphenyls, 634–640
metabolism of benzene in, S6:1183–1188
liver cancer, 1218–1229
aflatoxin B_1, S3:557–561
p53 mutations, 1324–1331
livestock waste, paying for cleanup of, 600
living modified organisms. *See* transgenics
lobelia, 926
Lorius, Claude, 1148
Lucier, George, 258
lung. *See also* respiratory disease
effects of beryllium, S5:949–950, S5:973–978, S5:974–975

effects of organic dust exposures, S1:41–49
effects of rare earths, 90, S1:87–88
injury from nitrogen dioxide, 852–856
metals in tissue, 630–632
lung cancer, S3:569–574, S5:901–902
and air pollution in Italy, 750–754
from environmental tobacco smoke, 1154
fragile histidine triad gene, 818–819
occupational exposure to poison gas, S3:485–488
p53 mutations, 1324–1331
and polycyclic aromatic hydrocarbons, 1166–1170
and smoking, S3:553–555, S5:922–923
treatment, 1147–1148
lung function. *See also* respiratory disease
among children exposed to acid aerosols, 506–514
among mill workers, 28
effect of atmospheric ozone on, 170–174
measurements of, 974
lung volume reduction surgery, 1146–1147
luteal function, 408–413
Lyme disease, 696
lymphocystis, in flounder, 1224–1225
lymphoma
among agricultural workers, 362
benzene-induced, S6:1340
lymphoproliferation assay, 424

M

macromolecular adducts, as biomarkers, S3:423–427
mad cow disease, 697
magnetic fields. *See also* electromagnetic fields
cell transformation after exposure to, 1188–1198
and sperm motility, 1212–1216
malaria
effect of global warming on, 694
natural drugs for treating, 252–253
malathion, dietary exposure to, 205
mallard ducks (*Anas platyrhynchos*), S2:333
malnutrition, among Vietnamese children, 1282–1283
mammary gland neoplasia, 912–914, 938–967. *See also* breast cancer; breast epithelial cells
manganese, role in Parkinson's disease, 253
mangroves, decline in Vietnam, 1282
manoalide, as an inhibitor of phospholipase A_2, 54–58
maquiladoras, 580
margin of exposure approach, 1042
marine organisms
domoic acid in, 1230–1236
habitat loss, 383–384
use in cell membrane research, 474
Massachusetts Institute of Technology, Center for Environmental Health Sciences, 142–144
maximum tolerated dose, 41
mazes, S2:311
M.D. Anderson Science Park, environmental health science center, 1278
mechanism-based toxicology, in cancer risk assessment, 84–87, S5:1085–1094
medaka, 935
medical wastes
in Europe, 245, 246
method for disposing, 708–710
mefloquine, 697
melanoma, use of betulinic acid to treat, 139
melatonin
effects of light on, S1:135–136
effects on breast cancer, S1:135–138
Melnick, Ronald, 20
menopause, effect of phytoestrogens on symptoms of, 480–481
mercapturic acid, S6:1169
mercury, 826–831. *See also* methylmercury
dietary exposure to, 205
effect on fish leukocytes, 1102–1106
evaluation for mutagenicity and carcinogenicity, S3:665–670
Mercury Study Report, S3:663–671
metal industry
exposure to *N*-nitrosodiethanolamine, 78–82
waste from, 246
metallothionein-I, role in cadmium toxicity, 68–76
metals. *See also names of specific metals*
dietary exposure to, 202–209
effect on cellular processes, 474, 475
in lung tissue, 630–632
role in Parkinson's disease, 253
toxicity of, 1028
methanogenic bacteria, 826
methoxychlor, estrogenicity of, 1299
3-methylcholanthrene, effect on cytochrome P450 activity in crabs, 774–778
methylene chloride, 1270
modeling kinetics of, 858–865
methyl isocyanate, disaster in Bhopal, 266
methylmercury, 826–831, S3:666–669
effects on mallard ducks, S2:333
neurobehavioral effects of, S2:293, S2:398–399
neurotoxicity of, S2:207–208, S2:367–377
4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone, S3:570–571
1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine, 652
methylsulfonyl metabolites, in human milk, 766–773
methyl tertiary butyl ether, 687–689, 808
Mexico
brickmaking in, 470–472
DDT use in, 584–588
lead poisoning among children, 1208–1211
Mexico City
air pollution, 160–168, 630–632
blood lead levels, 1070–1074, 1076–1082
introduction of unleaded gasoline, 10
micronucleated cells, effect of benzene on, S6:1331–1336
microsatellites, S3:511–517
induction of instability by carcinogens, S3:499–500
Middle East, health and environment, 260–265
Middle Tennessee Poison Center, 692
milk thistle, 925
mill workers, lung function among, 28
Minamata disease, 828, S2:207, S2:367–370, S2:398
minisatellites, S3:511–517
Minnesota, reproductive outcome among pesticide applicators, 394–399
minorities, 21, 22, 149
minute volumes, 974–979, 1156
mitotic recombination, by benzene, S6:1221–1222
MLL gene, S6:1306
MoBiTec GmbH, 36
models. *See specific types of models*
mold, in indoor air, 1034
molecular epidemiology, S3:441–443
in environmental carcinogenesis, S3:441–443
role of *p53* gene, S3:435–438
molecular structure. *See also* quantitative structure–activity relationships
in toxicity assessment, S5:1001–1016
molecular toxicology, Vanderbilt University Center for, 690–692
Molina, Mario, 140
molybdenum trioxide, carcinogenicity of, 378
monkeys
cynomolgus, S3:521–524
effects of GBR 12909 on behavior, S2:393–394
neurobehavioral effects of prenatal lead exposure, S2:344–347
monoamine oxidase, 653
monoclonal antibodies, to investigate DNA adducts formed by benzene, S6:1162
monooxygenase activity, alteration by pollutants in crabs, 774–778
Monte Carlo studies, 872–877, S6:1413–1429
of distribution of minute volumes, 974
of methylene chloride kinetic changes, 858–865
mortality
and air pollution, 414–420, 838–850
from asthma, 23
and occupational exposures, 728–733, S6:1349–1352, S6:1381–1392
mosquitoes, and urbanization, 696
Mount Desert Island Biological Laboratory, 474–475
Mozambique, respiratory effects of cooking fuel smoke, 980–985
muconaldehyde
inhibition of topoisomerase, S6:1320
as a metabolite of benzene, S6:1195–1199, S6:1201–1209
muconic acid, as a metabolite of benzene, 318–323, S6:1125, S6:1141–1144, S6:1151–1157
mummichog, 935
municipal waste, 245–246, 1285
mutagens, S3:615–617
analysis of human exposures, S3:585–589
carcinogenic and noncarcinogenic, S3:683–686
research needs, S3:603–605
Salmonella, 40–46, 431–434, 1276
mutational fingerprints, of heterocyclic amines, S3:497–500

mutations
biomarkers of, S3:423–427, S3:445–447, S3:459–463, S3:471–472, S3:619–622, S3:675–678
and cancer, S3:633–637
in children of atomic bomb survivors, S3:511–517
frequency among benzene-exposed workers, S6:1367–1368
research, 142–144
Mycobacterium bovis, in lung cancer treatment, 1147–1148
mycotoxins, in indoor air, 1034
myelodysplastic syndrome, S6:1240–1241, S6:1303–1307, S6:1353–1364
myeloma, multiple, and benzene exposure, S6:1393–1398
myelotoxicity, of benzene, S6:1177, S6:1259–1260

N

narcotics addiction, 1289, 1290
nasal inflammation, 1033
nasal respiratory epithelium
DNA damage to, 160–168, S3:471–472
National Academy of Sciences, 130. *See also* National Research Council
National Association of Physicians for the Environment, 598
website, 599
National Asthma Education Program, 22
National Center for Human Genome Research website, 471
National Center for Toxicological Research, 376
National Council on Radiation Protection and Measurements, report on electromagnetic fields, 14–15
National Farm Medicine Center, 834
National Heart, Lung and Blood Institute, 22
National Human Adipose Tissue Survey, 607
National Human Exposure Assessment Survey, 607
National Inner City Asthma Study, 24
National Institute of Environmental Health Sciences, 21, 693, 1010–1011, 1150–1151
website, 15
National Institute of Occupational Safety and Health, 1045
history and future, 484–486
National Occupational Research Agenda, 484
National Priorities List, endocrine effects of extracts from sites on, 712
National Research Council
assessment recommendations, 356
report on pesticides on food, 685
National Science and Technology Council, 469
National Toxicology Program, 84, 824
carcinogenesis bioassays, 377, S5:1095–1100
computer-assisted carcinogenicity assessment, S5:1001–1016
prediction of rodent carcinogenicity, S5:1017–1029, S5:1041–1043
use of Syrian hamster embryo cell transformation assay, S5:1075–1083
use of the DEREK system, S5:1065–1072
NCRP. *See* National Council on Radiation Protection and Measurements
neem, 926, 1291
neoplastic transformation, after exposure to magnetic fields, 1188–1198
nervous system, 212–213, S2:382. *See also* neurobehavior
clinical approach to diagnosis of diseases, S2:228–233
degenerative diseases of, 822–823
effects of domoic acid, 1230–1232
effects of endocrine disruptors, S4:723–725
effects of lead on, 1052–1053, S1:144
effects of methylmercury, S2:367–377
effects of pesticides on, S1:102–103, S199
toxicity, 822, S1:55–62, S2:180, S2:194–195, S2:205–213
assessment of, S2:193–201, S2:211–212, S2:275–281, S2:285–295, S2:317–321, S2:402–403
biomarkers of, S1:55–62
clinical indices of, S2:323–330
developmental, S2:275–281, S2:285–295
and Parkinson's disease, 653
Netherlands, exposure to polycyclic aromatic hydrocarbons, 530–534
neurobehavior, S2:217–218
application in risk assessment, S2:173–177, S2:179–189, S2:196–198, S2:239–243, S2:299–304, S2:307–313, S2:381–389, S2:397–400, S2:407–411
effects of organic solvents, S2:361–365
and prenatal exposure to methylmercury, S2:371–376
studies in children exposed to air pollution, S4:707–708
neurologists, role in hazard identification and risk assessment, S2:227–236
neuromelanin, 653
neutrophils
accumulation in liver after treatment with lipopolysaccharide, 637–638
activation by polychlorinated biphenyls, 52–58
New Zealand, blood lead levels, 1332–1335
nickel, in lung tissue, 631
nicotine, *in vitro–in vivo* metabolic correlations, S1:27–28
Nicotine and Tobacco Network website, 1149
NIEHS. *See* National Institute of Environmental Health Sciences
Nitrate Elimination Company, Inc., 37
nitrates, in drinking water, 522–528
elimination of, 36–38
nitric acid, as an air pollutant, 494
nitric oxide, 144
role in hematosuppression, S6:1283–1287
nitrogen dioxide
effect on respiratory tract, 294, 852–856
nitrogen monoxide, correlation with benzene, S6:1138–1139
nitromethane, carcinogenicity of, 378
nitro-polycyclic aromatic hydrocarbons, S5:901–905
N-nitrosamines, urinary excretion of, 525
N-nitrosodiethanolamine, exposure of metal workers to, 78–82
Nobel Prize in Chemistry, 140
Nocardia rubra cell-wall skeleton, S3:485–488
nongenotoxic carcinogens, S1:123–131
non-Hodgkin's lymphoma, 1281
nonhuman primates, as models of methylmercury neurotoxicity, S2:375
nonsteroidal anti-inflammatory drugs, 598–599, 691–692
nonylphenol, estrogenicity of, 1299
no observed adverse effect level, S1:108–110
no observed effect level, 1042
North American Free Trade Agreement, 590–591
Norway, contaminated crabs in, 756–764
NTP. *See* National Toxicology Program
nuclear industry, cancer risk among workers, S3:645–646
nutrition. *See also* diet
deficits in children, 1282–1283
effect on infectious diseases, 695
in Thailand, 1287
NZB mouse, as a model of autoimmune disease, S4:815–820

O

observational research methods, S2:301–304
occupational exposures
to benzene, S3:529–533, S3:609–613
to beryllium, S5:991–993
to polycyclic aromatic hydrocarbons, S3:687–690
to radiation, S3:645–646
to rare earths, S1:85–86
occupational health
history and future, 484–486
in India, 268, 269
role of stress, 702
occupational physicians, 151
Occupational Safety and Health Administration, 484, 1045
methylene chloride regulations, 1270
oceans, health of, 380–385
octyl phenol, 544–548
Oeschger, Hans, 1148
Office of Technology Assessment, 130, 154–155
oil production, 1272
environmental effects of, 264
exposure of workers to polycyclic aromatic hydrocarbons, S3:539–540
oil spills, 382
Olympic games, environmental plan, 597–598
open field tests, S2:291–292, S2:308
operant conditioning tests, S2:309
opioid peptides, interaction with microglia, 822
OREX, 709, 710
organic anions and cations, behavior in the kidneys, 604, 605
organic dust toxic syndrome, 27, S1:41–49
organic solvents, neurobehavioral effects of, S2:361–365
Organisation for Economic Co-operation and Development, 612–614
organochlorines
effects on immune system, S4:823–827, S4:829–840
pesticides, S4:718–720, S4:756–757
organophosphorus insecticides, 156
osteoporosis, effect of phytoestrogens on, 480
Our Stolen Future, 350
ovarian cancer, *p53* mutations, 1324–1331
ovarian steroid hormones, role in mammary carcinogenesis, 955
overpopulation, in India, 270
ovulation, 145
oxidative stress, and benzene toxicity, S6:1168–1170
oxidoreductase, S6:1177–1182

oxygenates, in gasoline, 687–689
oxygen radicals. *See* reactive oxygen species
ozone, atmospheric, 695
  as an air pollutant, 496–497
  and asthma, 25, 1354–1360
  effect on lung function in children, 170–174
  effects on nasal respiratory epithelium, 164
  neurobehavioral effects of, S2:294–295
  and respiratory disease in Alaska, 294
ozone, stratospheric, 140
  effects of chlorine on, S1:75–76
  website, 141

P

parallelogram model for estimating genetic risk, S3:622
parasitic infections, cytotoxicity and genotoxicity in, S3:599–601
Parkinson's disease, 822
  causes of, 253–254
  role of environment, 652–654
particle mesh Ewald, S1:69–70
patched gene, 1026
perchloroethylene, replacement in dry cleaning, 488
peregrine falcon (*Falco peregrinus*), S2:332
permethrin, 820
peroxisome proliferators, S1:127–128
Persian Gulf, environmental health of region, 1272–1273
Persian Gulf syndrome, 819–820
persistent toxic compounds, 246
  in the Great Lakes, 252
pesticides, S1:30:31, S1:58–60, S2:355
  alternatives to, 156–158, 704
  applicators of, 362, 367
    birth defects among offspring, 394–399
  banning in California, 1146
  and cryptorchidism, 1090–1095
  dietary exposure to, 147–148, 202–209, 685, 1271
  effect on intercellular communication, 192–200
  in the Great Lakes, 252
  in the home, 148
  metabolism of, S1:99–103
  resistance to, 698
  role in Parkinson's disease, 253
  use in Asia, 270, 1283, 1286
petroleum
  banning distillates in California, 1146
  hydrocarbons and kidney cancer, 642–650, 643–650
  industry
    benzene exposure, S6:1371–1374, S6:1375–1379
    biological monitoring of workers, S3:609–613
  products and multiple myeloma, S6:1395
Pfiesteria piscicida, 384, 695
p53 gene, 607
  DNA binding, S6:1289–1292
  mutations in cancer, 1324–1331, S3:435–438, S3:553–555
  role in tumorigenesis and DNA repair, S3:550
pharmaceuticals, 252–253, 390, S3:600
  packaged in liposomes, 390–392
pharmacokinetics, 400–407. *See also* physiologically based pharmacokinetic modeling
  and detoxication, S1:23–36
  of volatile organic compounds, S5:873–874
phenolphthalein, carcinogenicity of, 250, 377
phenols, and benzene, S6:1126, S6:1399–1400
phenylcysteine, S6:1235–1236
  in albumin as a biomarker of benzene exposure, S6:1147–1149
phenylguanine, in urine after benzene exposure, S6:1159–1163
phenylmercapturic acid, as a metabolite of benzene, S6:1125, S6:1141–1144, S6:1151–1157
Phlebotomus papatasi. *See* sandfly
phospholipase A_2, role in activation of neutrophils, 52–58
phototoxic dyes, use against fruit flies, 156–158
physiologically based pharmacokinetic modeling, 48, 242–243
  of benzene, 1142, 1143–1144, S6:1399–1404, S6:1406
  of methylene chloride, 858–865
phytoestrogens, 478–482
pituitary hormones, role in mammary carcinogenesis, 955–956
placental hormones, role in mammary carcinogenesis, 956
plants, as source of cancer-fighting drugs, 139–140
Platichthys flesus. *See* flounder
Pliofilm cohort, leukemia and benzene exposure, S6:1431–1436, S6:1437–1441
PM_{10}. *See* air pollution, particulate
Pneumococci, resistance to antibiotics, 697
pneumoconiosis, 485
Poland, hazardous wastes, 245
polar ice cap, 1148
policy, on electromagnetic fields, 908–911
polybrominated biphenyls
  effect on intercellular communication, 192–200
  and thyroid deficiencies, 1267–1268
polychlorinated biphenyls
  activation of neutrophils by, 52–58
  aryl hydrocarbon receptor binding, 1302–1309
  effect on intercellular communication, 192–200
  endocrine effects of, 712–722
  estrogenicity of, S4:757
  in the Great Lakes, 252
  liver injury by, 634–640
  metabolites in human milk, 766–773
  neurotoxicity of, S2:208–209, S2:354
  and seafood consumption, 756–764
  synergy among, 550–557
polychlorinated dibenzofurans
  aryl hydrocarbon receptor binding, 1302–1309
  endocrine effects of, 712–722
  and seafood consumption, 756–764
polychlorinated dibenzo-*p*-dioxins
  endocrine effects of, 712–722
  and seafood consumption, 756–764
polychlorinated terphenyls, in indoor particulate matter, 1172–1179
polycyclic aromatic hydrocarbons, S3:591–596, S4:701–705
  as biomarkers, S5:901–905, S5:927–930
  and bladder and lung cancer, 1166–1170
  DNA adducts formed by, S3:441–443, S3:459–460
  effects on cytochrome P450 activity, 774–778, S1:11–12
  exposure of children to, 530–534
  occupational exposure to, S3:539–540, S3:687–690
  transplacental transfer of, S3:625–627
polymerase chain reaction, polymerases for, 820–821
polymorphonuclear leukocytes, effects of inhaled dust on pulmonary infiltration, S1:42–49
polynuclear aromatic hydrocarbons. *See* polycyclic aromatic hydrocarbons
polyploidy, among shoe workers exposed to benzene, S6:1314
polyvinyl alcohol, use to make medical supplies, 709
population decline, as a measure of toxicity, S2:300–301
population monitoring, S3:527–528, S3:579–582
porphyria, 552
positron emission tomography studies, 653–654
postreplication mismatch repair, 18
^{32}P-postlabeling, S6:1337
Predictive-Toxicology Evaluation Project, S5:1001–1009
pregnancy. *See also* development
  blood lead levels during, 1070–1074
  exposure to environmental tobacco smoke during, 1156
  exposure to lead during, 306, 1051–1052
  mammary gland development during, 942
  timing of, 145
pregnancy outcomes. *See also* birth parameters
  impact of air pollution and lifestyle on, S4:709–710
  and mercury exposure, 827
  and water disinfection, 1056–1061
pregnanediol-3-glucuronide, use to identify anovulation, 408–413
priority setting, 356, 359
progesterone, measurement of, 408
progesterone receptor, 1318–1322
Progol, S5:1031–1039
Program for Monitoring Emerging Diseases, 699
Project XL, 1160
proliferating cell nuclear antigen assay, 744
prostaglandins
  F2α, 8-epi, 1149
  role in cell proliferation, 599
protein adducts
  as biomarkers, S5:879–881
  methods for detection, S5:880–881
  use to investigate benzene metabolites, S6:1235–1237
protein binding, use to assess risk, 812–813
protein deficiency, and health effects of arsenic, 1013
protein kinase C, role in benzene–induced granulocytic differentiation, S6:1260–1261
protooncogenes

activation in rainbow trout tumors, S1:12–13
repair of cyclobutane pyrimidine dimers, S3:548–549
psychometrics, S2:252
public opinion, regarding the environment, 370–371
public perception, of radiologically contaminated sites, 1344–1352
pulmonary function. *See* lung function
pyrene exposure, 1-hydroxypyrene as indicator of, 352–353
pyridostigmine bromide, 820
pyrrole adducts, and benzene exposure, S6:1201–1209

Q

quality of life, effects of loss of biodiversity on, 387–388
quantitative structure–activity relationships, 810–816, S5:1041–1043, S5:1085–1094
models, 1302–1310
quantum mechanics, S1:69–73
quighaosu, 253
quinacrine, as an inhibitor of phospholipase A_2, 54–58
quinone metabolites, of benzene. *See* benzoquinone; hydroquinone
quinone reductase, S6:1227

R

radiation
from atomic bomb, S3:493–495
biomarkers of induced mutations, S3:675–678
effects of, 148–149, 353–354, S3:511–517
epidemiology of accidental exposures, S3:643–647
-induced mammary tumorigenesis, 946–947
as a reference standard for genotoxic chemicals, S3:425–426
radiation biology, modeling bone marrow damage, S6:1293–1301
radical-induced DNA disorder, 821
radioactive waste, vitrification of, 818
radiological contamination, remediating, 1344–1352
radon, study of exposure using banked tissues, 608
rainbow trout, carcinogenicity testing in, S1:6–8
rare earths, S1:85–92
RASH analysis, S5:1017–1029
rats
effect of benzene on Zymbal glands, S6:1331–1336
neurobehavioral effects of prenatal lead exposure, S2:343
reactive oxygen species, and benzene, S6:1126, S6:1211–1218
recycling, 1037, 1162–1163
reference dose approach to risk assessment, S2:218–220
regulation
of air quality, S5:857–860
of herbal medicines, 924–925
involvement of business and industry, 1158
reform, 356–361
relative adduct levels, S6:1337
remediation, of mercury-contaminated soil, 827
replicative DNA synthesis, 41
reproductive system. *See also* development; pregnancy
cadmium toxicity, 68–76
effects of endocrine disruptors, S4:720–723
effects of pesticides on, S1:99
effects of xenoestrogens, S4:741–801, S4:747–751
environmental effects on, 213
toxicity of water disinfection by-products, 1056
toxicology of, 376–377
RESOLVE, 136
resorufin substrates, use to assess cytochrome P450 activity, 536–543
respiratory disease, 210–211
and air pollution in Alaska, 290–297
among agricultural workers, 26–27
among children exposed to acid aerosols, 500–503
caused by smoke from cooking fuels, 980–985
respiratory epithelium, effect of nitrogen dioxide on, 852–856
Responsible Care, 1138–1139
retinoid pathways, 145
risk assessment, 810–816, 1030, 1041–1043, 1150–1151, S3:663–671
application of biomarkers, S5:896–899
application of neurobehavior in, S2:173–177, S2:217–225, S2:227–236, S2:353–357, S2:397–400
of arsenic, 1012–1013
of benzene, S6:1173–1175, S6:1413–1429
of cancer, 750–754, S1:123–131
dose–response analysis in, S2:391–395
of inhaled toxicants, 974–979
of mammary carcinogens, 912–914
mechanism-based toxicology in, 84–87, S2:381–389
physiologically based pharmacokinetic modeling, 858
use of second moment method, 866–870
risk management, 1040–1041
Rocky Flats Beryllium Health Surveillance Program, S5:981–986
rodent carcinogenicity assays, 945–946, S5:1095–1100
prediction of outcome, S5:1041–1043
based on subchronic studies, S5:1059–1062
by mechanism-mediated model, S5:1085–1094
by molecular structure, S5:1001–1016, S5:1031–1039
using the DEREK system, S5:1065–1072
RASH analysis, S5:1017–1029
and the Syrian hamster embryo cell transformation assay, S5:1075–1083
rodents
as models of methylmercury neurotoxicity, S2:371–375
Romania, hazardous wastes, 245
Royal Dutch Shell, 138
rubber
biodegradation of, 1163–1164
problems of recycling, 1162–1163
rubber industry, monitoring genotoxic hazards in, S3:543–545
rule learning, S5:1059–1062

S

Safe Drinking Water Act, 930–932
Salmonella mutagens, 40–46, 1276
ambient particulates, 431–434
sandfly, effect of global warming on, 724–727
sanitation, public, in India, 268
Saro-Wiwa, Ken, 1027
Saudi Arabia, water supply, 261
Savannah River Site, 818
Schwetz, Bernard, 376
science, minorities in, 21
science education, 906
scientific debate, 682
Scientific Group on the Methodologies for the Safety Evaluation of Chemicals, S2:173–174, S2:179, S2:193, S2:205, S2:217, S2:171
scientific literature, 1262
screening techniques, for behavioral toxicity, S2:196–198
seafood
domoic acid in, 1230–1236
methylmercury in, 827–830
polychlorinated compounds in, 756–764
seafood industry, 382, 1271, 1288
Seafood Network Information Center website, 821
Second International Conference on Environmental Mutagens in Human Populations, S3:421–422
second moment method, for assessing risk, 866–870
selenium, effect of atmospheric chromium on blood levels, 1312–1316
self-poisoning model, S3:615–617
semen
effects of air pollution on, S4:710–712
quality, S4:742–743, S4:753–754
sensitive subpopulations, 1031
to benzene, S6:1232
sentinel organisms, 388, 934–936
service economy jobs, 155
sewage effluent, endocrine disruptors from, 1096
sex hormone binding globulin, 544, 546
sexual differentiation, and the physiological role of estrogens, S4:751–753
Seychelle Islands, study of methylmercury exposure, 829
shellfish poisoning, effect of global warming on, 694–695
shoe workers, cytogenetics of benzene-exposed, S6:1313–1317
shrimp industry, 382
in Thailand, 1288
sick building syndrome, 1032, 1036
signal transduction, 52, 1029
Silent Spring, 350
silicosis, in Thailand, 1289
Siliqua patula (razor clam). *See* clams
simulation modeling, of benzene, S6:1413–1429
sister chromatid exchanges, S3:591–596, S3:609–613
after exposure to pesticides, S3:535–538
alcohol drinking and aldehyde dehydrogenase, S3:563–566

in metal workers, 80
Six Cities Study, 922
skin
as a portal of entry for pesticides, S1:103
tumorigenesis by contact sensitizers, 1062–1068
ulcers in flounder, 1224–1225
skin cancer, gene for, 1026
Slovak Republic, hazardous wastes, 245–246
small cell lung cancer, treatment, 1147–1148
smell, role in physiological reactions, 1033
smelters, lead, exposure of children living near, 314–317
smoking, S3:569–574. *See also* environmental tobacco smoke; tobacco smoke
and cancer, 644, 645, S3:553–555, S5:922–923
and DNA repair response, S3:580–582
effects combined with dust exposure, 29
effects on blood levels of volatile organic compounds, S5:875
effects on chromosome aberrations, S3:489–492, S3:490–492
exposure to benzene, S6:1137
and fragile histidine triad gene, 818–819
during pregnancy, S3:449–451
restrictions on, 1156–1157
social interaction, tests of, S2:309
socioeconomic status, and exposure to lead, 1070–1074
sociosexual interactions, in laboratory animals, S2:311–312
sodium pump, effect of nitrogen dioxide exposure on, 852–856
sodium xylenesulfonate, carcinogenicity of, 378
soft-tissue sarcoma, 1281
soil pollutants, 33, 314, 530, 827
solar heating, 1037
somatic mutation, monitoring of atomic bomb radiation, S3:493–495
soybeans, phytoestrogens in, 479
specific locus assay, S3:620
sperm
counts, 919–920
detection of aneuploidy, S3:629–631
effects of cadmium on spermatogenesis, 72
motility and magnetic fields, 1212–1216
mutation studies, S3:621–622
spontaneous cancer. *See* cancer, spontaneous
spores, in indoor air, 1034
Staphylococcus aureus, resistance to antibiotics, 697
stochastic modeling, 866
storage, of biological specimens, 609
stromal cells. *See also* bone marrow toxicity
benzene toxicity, S6:1177–1182, S6:1227
structure–activity relationships. *See* quantitative structure–activity relationships
study design, S2:363–364
styrene, neurotoxicological effects of, S1:60
sudden infant death syndrome, and environmental tobacco smoke, 1156
sugars, and presence of heterocyclic amines in food, 282
suicide, S5:995–997
Sulfolobus acidocaldarius, 1163
sulfur dioxide, and respiratory disease in Alaska, 294
Superfund, 1158–1159
superoxide anion, induced by polychlorinated biphenyls, 52
Surfers Against Sewage, 684
susceptibility. *See* genetic susceptibility
sustainability, 1142–1145
sustainable design, 1036
Sweden, contaminants in human milk, 766–773
synergism
of dioxin and hexachlorobiphenyl, 550–557
of lipopolysaccharide and polychlorinated biphenyls, 634–640
Syrian hamster embryo cell transformation assay, prediction of carcinogenicity, S5:1075–1083

T

Taiwan, arsenic intake, 1017
tamoxifen, 688, S1:124
tannery workers, selenium in blood of, 1312–1316
TCDD. *See* dioxin
technology, 271, 700–703, 1030–1031
teeth. *See also* dentistry
analyzing lead levels in, 306–312
Teplice Program, S3:591–592, S4:699–713
terns, S2:333, S4:829–840
tertiary butyl alcohol, 1265–1266
testicular cancer, S4:743, S4:754
testosterone
effect on autoimmune disease, S4:815–820
reduced in male carp, 1098–1099
2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *See* dioxin
tetrafluoroethylene, carcinogenicity of, 377
TG.AC mouse, tumor induction in, 1062–1068
Thailand, environmental health in, 1286–1291
T-helper cells, function in workers exposed to dioxin, 422–426
Thermococcus, DNA polymerases from, 820–821
thioacetamide, effect of colchicine on liver injury induced by, 744–749
thiobarbituric acid reactive substances, 1312–1316
Third Congress of Toxicology in Developing Countries, 324–325
33/50 program, 1159
3-poly test, 872–877
thyroid
effect of polybrominated biphenyls on, 1267–1268
hormones in mammary carcinogenesis, 957
induction of tumors by dioxin, S1:130
thyroxine, effects of polychlorinated biphenyl mixtures on, 712–722
tiered testing, S2:196, S2:401–404
tire debris
latex allergens in, 1180–1186
methods for disposing, 1162–1164
tissue banking, 606–610
tissue repair, disruption by colchicine, 744–749
tobacco, website for issues concerning, 1149
tobacco industry, 1153–1157
tobacco smoke. *See also* environmental tobacco smoke; smoking
and arteriosclerotic plaque, 1108–1113
carcinogens in, S3:453–456
transplacental transfer of genotoxins in, S3:625–627
tolerable daily intake, of domoic acid, 1230–1231
toluene, carcinogenicity of, S6:1289–1292
Tooele Military Depot, chemical weapon disposal, 1274–1275
topoisomerase
inhibition by benzene metabolites, S6:1265–1269, S6:1319–1323
leukemia after treatment with inhibitors of, S6:1305
Total Diet Study, 202
Total Exposure Assessment Methodology study, S6:1129, S6:1141
toxaphene, effect on intercellular communication, 196
toxic equivalency factor, 712
toxicity standards, for developing countries, 325
toxicokinetics, 400–407. *See also* pharmacokinetics; physiologically based pharmacokinetic modeling
of arsenic, 1016
of benzene, S6:1405–1411
Toxics Release Inventory, 1138, 1159
tracers, use to determine release of skeletal lead, 60–66
transcriptional activation assay, 1297, 1299–1300
transformation-associated recombination, 616–617
transgenics, 698, 702–703
for absorption of mercury, 827
benefits and safety, 704–707
mice, S3:621
Big Blue, S3:683–686
reproductive toxicity of cadmium, 68–76
as sentinels, 934–935
transplacental transfer, S3:449–451, S3:625–627
trichloroethene, exposure via drinking water, 48–51
trichloroethylene, 734–743, 866–870
trihalomethanes, 1056, S1:115
trimethylpentane, 1265
trimethyltin, effect on nervous system, 823
tuberculosis, resistance to antibiotics, 697
tumorigenesis. *See also* carcinogenesis
physiological factors, 944
promotion, 1062–1068, S1:13–15
tumor necrosis factor, 469
tumor suppressor genes, S3:461–462
p53, S3:435–438
Tyler Prize for Environmental Achievement, 1148
typhoid, 1284

U

Ukraine, hazardous wastes, 246
ultrasonic vocalization tests, S2:307

ultraviolet light
adducts from, S3:461
use to disinfect drinking water, 1046–1048
uncertainty factors, 85
United Kingdom
beryllium registry, S5:949–951
leukemia among petroleum distribution workers, S6:1371–1374
United Nations, Global 500 Roll of Honor, 1027
United Nations Environment Programme, 597
University of California Environmental Health Sciences Center, 1276–1277, 1278
urbanization, 371–372
effects in the Middle East, 263–264
effects on infectious diseases, 695–696
uridine diphosphate glucuronosyltransferase, S1:33–36
urine
collection, 608
DNA adducts in, S6:1159–1163
metabolites of benzene in, S6:1141–1142, S6:1152–1156, S6:1166
polycyclic aromatic hydrocarbon metabolites in, S5:927–930
U.S. Congress, environmental legislation, 356–361
U.S. Endangered Species Act, 368
U.S.–Mexico border, environmental health issues, 590–594
Utah Valley, air pollution and mortality, 414–420
uterotropic assay, 1298, 1299–1300
UV Waterworks, 1046–1048

V

vaccines, edible, 276–278
Vanderbilt University Center in Molecular Toxicology, 690–692
vehicle exhaust, effects of compounds in, S3:460
ventilation, in buildings, 1032, 1036
Vibrio cholera, 385, 695, 696
video display terminals, 485
Vietnam, environmental health in, 1280–1285
vitamin C, 1277
vitellogenin, induction in carp, 1096, 1098
vitrification, of radioactive waste, 818
volatile organic compounds
arising from landfills, 685
exposure via drinking water, 48–51
in indoor air, 1032, 1033, 1034, 1036
measuring in blood, S5:871–876
measuring in breath, 1292–1294, S5:861–867

W

war, environmental effects of, 263–264
wastewater treatment, 696, 1284
water. *See also* drinking water
and presence of heterocyclic amines in food, 282
water pollution
by arsenic, 620–628
in Asia, 1284, 1288
effects on aquatic organisms, 774–778, 1218–1229
in Europe, 33, 684
in oceans, 382–383, 384–385
water quality, 12
in Buenos Aires, 186–189
of Great Lakes, 252
in India, 267–268
studies at Massachusetts Institute of Technology, 143–144
water supply, 12, 261
weather modeling, 414–420
wetlands, coastal, 383
White House Office of Science and Technology Policy, 20
Wilcox, Allen, 1031
wildlife, effects of endocrine disruptors, S4:715–735, S4:747–751
Wilson, Samuel H., 693
women, 272, 1031
effects of smoke from cooking, 980–985
health in India, 269, 271
lead levels postpartum, 1076–1082
Women's Health Initiative, 916–917
wood, respiratory effects of smoke from, 982
wood siding, 1039
World Bank, water projects, 12
World Health Organization website, 373
World Wide Web, 1262. *See also* EHPnet
wormwood, 252

X

xenobiotics, excretion of, 604–605
xenoestrogens, 1020. *See also* phytoestrogens
assessing, 132–133, 544–548, 1296–1300
dental materials as, 298–305
effects on male reproduction, S4:741–801, S4:754–756
identifying, 1084–1089
interaction with estrogen and progesterone receptors, 1318–1322
xeroderma pigmentosum cell lines, S3:529–533

Y

yeast artificial chromosomes, 616
yeast estrogen screen, 544–548, 1085–1086

Z

Zymbal glands, effect of benzene on micronucleated cells in, S6:1331–1336